

RECORD BOOK

Field Journal of Mammals
of El Peten
Guatemala

March 24, 1946 — August 1946

Property of Tom Larson
Aitkin, Minnesota
U. S. A.

South African Expedition
August 1947 — July 1948

Mammals and Birds
Guide to Vertebrate Fauna
of Eastern Cape
Albany Museum
Durbanston

67-2619

Northern Rhodesian check list.

1. Moose ?
2. Gerbil
3. Common rat
4. Side Striped Jackal
5. Fruit Bat
6. Hare
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Special Mammal Collection for African Studies

New No.	old No.	Sex	locality	measurements
1	1564	♂	Gladysvale Farm, Transvaal 20 mi. N.N.E. Hagersdorp, S. Afr.	154-23-26 (Mole-rat) (Georchus Cope)
2	1565	♀	"	135-21-24 "
3	1566	♀	Cave "	89-32-13-318 (Bat)
4	1567	♂	"	88-32-12-334 "
5	1568	♀	"	81-29-12-329 (Bat)
6	1569	♀	Gladysvale (Actomys)	254-138-26
7	1570	♂	"	257-149-27
8	1571	♂	7 mi. NNE: (Otomys)	198-75-28 Otomys
9	1572	♀	" (Mouse)	195-94-21
10	1573	♂	"	111-45-16
11	1574	♂	"	171-85-24
12	1575	♂	"	172-88-23
13	1576	♀	Letaba Ranch 37 mi N. Gravelotte N. Trans	299-161-31
14	1577	♀	"	279-164-29
15	1578	♂	20 mi. W. Nico Smith Farm, Port Eliz.	220-105-24, Striped Mouse
16	1579	♀	" Matland Mines "	100-38-360-13 bat
17	1580	♂	"	96-30-347-12 bat
18	1581	♂	"	95-47-307-8 bat
19	1582	♂	" on hill	114-0-15 Golden Mole
20	1583	♀	" along creek	110-37-13 Shrew
21	1584	♂	"	234-115-29 Otomys
22	1585	♂	"	240-120-26 Striped Mouse
23	1586	♂	"	208-109-24 "
24	1587	♂	" in high river valley woodland	292-176-29 Long tailed mouse
25	1588	♀	"	276-169-27 "
26	1589	♀	Nico Smith Farm Otomys	252-160-31
27	1590	♂	" Otomys	267-100-31
28	1591	♂	" Mouse	210-98-23
29	1592	♂	" Striped Mouse	233-129-26
30	1593	♂	"	223-123-24
31	1594	♂	"	245-125-27
32	1595	♂	"	244-118-26
33	1596	♂	"	226-125-26
34	1597	♀	"	178-70-24
35	1598	♂	"	217-104-26
36	1599	♂	"	233-113-25
37	1600	♀	"	218-117-25
38	1601	♂	"	207-112-25

Special Comments

Date

Caught in trap in open grassland,

Mar. 25, 1948

Mar. 26, 1948

Mar. 27, "

"

"

April 1, 1948

April 3, 1948

April 12, 1948

"

April 13

"

"

May 1, 1948

"

July 27, 1948

July 29

"

"

"

July 30

"

Aug 2, 1948

Aug 3, 1948

"

"

"

"

Aug. 2, 1948

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

from ceiling of cave, excessive fat on body

" " "

" " "

caught along small stream bank

Caught in high veld

8 pairs of tits, Caught in high veld (heavily infected with tape worms)

"

"

"

2 tits forward 4 aft (in natural position)

freak strips) trapped along creek bank
(two nipples just above vaginal opening)
only bats found where a year ago in August there
were thousands.

"

"

Penis directly in front of anus

4 mammal

well dev. embryos in alcohol

tail half gone

New No.	Old No.	Sex	Locality	Measurements	
+ 39 LC	1602	♂	Nico Smith Farm	170-84-19	Pocket Mouse
+ 40 LC	1603	+	"	170-41-20	(Gerbil)
+ 41 LC	1604	+	"	184-88-20	Doormouse
○ 42 LG	1605	♂	"	118-44-14	Shrew
+ 43 LC	1606	♂	"	291-179-25	mouse
+ 44 LC	1607	+	"	272-176-25	mouse
⊕ 45 LC	1608	♂	"	211-105-23	Mouse (Fat?)
+ 46 LC	1609	♂	Beckley Farm	122-0-16	Golden Mole
+ 47	1610	♀	Nico Smith "	126-13-21	Mole rat
AM 48	1611	♀	"	247-116-28	Otomys
+ 49	1612	♂	"	251-100-29	Otomys
+ 50 LC	1613	♂	"	158-74-22	mouse?
AM 51	1614	♀	"	224-92-31	Otomys
AM 52	1615	♀	"	119-15-22	Mole rat
LC 53	1617	♂	"	259- ¹⁰⁷ 69-30	Otomys
AM 54	1618	♀	"	132-20-21	Mole rat
+ 55 LC	1619	+	"	118-13-20	Mole rat
AM 56	1620	♂	"	621-273-69 593-68	Lesser grey mongoose
AM 57	1621	♀	"	593-241-66	"
AM 58	1622	♂	"	640-284-71	"
X 59 LC	1623	♀	Murray Farm, 8 mi E Pretoria	170-85-21	Fat Mouse?
○ 60	1624	♀	"	272-162-27	Rock "
⊕ 61 LC	1625	♂	"	283-109-32	Otomys
+ 62 LC	1626	♂	"	317-180-33	Rat?
⊕ 63 LC	1627	♂	"	271-144-37	E. Shrew
⊕ 64	1628	♀	"	266-142-34	Gerbil
+ 65 LC	1629	+	"	267-134-34	Gerbil
⊕ 66	1630	♂	"	282-143-33	"
⊕ 67 LC	1631	♀	"	125-49-14	Shrew
⊕ 68	1632	♀	"	309-160-30	Actomys
⊕ 69	1633	♂	"	259-143-26	"
⊕ 70	1634	♂	"	181-88-23	Martimamate
⊕ 71	1635	♀	"	120-48-15	Black Shrew
⊕ 72	1636	♂	"	270-145-26	Actomys
⊕ 73	1637	♂	"	194-94-21	Striped
⊕ 74	1638	♂	"	188-90-23	Multi mammate
⊕ 75	1639	♂	"	209-99-27	Otomys
76	1640	♀	"	328-162-31	Rat
77	1641	♂	"	285-162-31	"

Comments

Date

(pouches in mouth)	(Cape dormouse) in thick open woods along creek by	Aug 10
	2 nipples by forest, 2 by bushes (by native hut)	Aug 12
	In rain forest by river Creek	Aug 13
	in grassy brush by Creek	"
	In rain forest - by tree.	"
	meadow	Aug 14
	15 mi. W. P.E.	"
	20 mi W. P.E. (white patch on head	Aug 16
	in meadow (two small embryos)	"
	" (1 well dev ")	Aug 17
	in native hut	"
	in field by native huts	Aug 20, 1948
		Aug 21
3 pr. mammae - pect, 1 ant, 1 central	6 well dev. embryos in alcohol	Aug 23
		"
		Sept 1
		Sept 2
		Sept 4
		Sept 30
	Caught along creek bank in high grass	"
	Caught on rocky outcropping	"
	Caught in field (testis well developed)	"
	Native hut	Oct. 1
	In Koppie	"
	in field	"
	"	Oct 2
	" testes greatly enlarged	"
	"	Oct. 3
	"	"
	skeleton only	Oct. 4
	"	"
	By Creek	Oct. 5, 1948
	in rocks	"
	By Creek	"
	By "	"
	in Koppie	"
	native hut	"
	"	"

474 New No	Old No	Sex	Locality	Measurements	Species
UC 78	1642	♂	Murray Farm,	110-50-16	Shrew
LC 79	1643	♂	"	262-134-37	E. "
LC 80	1644	♀	"	113-47-15	Shrew (black)
LC 81	1645	♂	"	290-157-28	Actomys
LC 82	1646	♂	"	295-152-29	"
LC 83	1647	♂	"	289-170-28	"
LC 84	1648	♀	"	281-172-27	"
85	1649	"	"	Skeleton	"
86	1650	"	"	Skull only	Actomys
87	1651	♂	"	Skeleton	"
88	1652	♂	"	"	Otomys
89	1653	♂	"	"	"
90	1654	♂	"	"	"
91	1655	♂	"	"	Actomys
92	1656	♂	"	"	"
93	1657	♂	"	"	"
94	1658	♂	"	"	"
95	1659	♂	"	Skull	Striped Mouse
96	1660	♂	"	Skull	"
97	1661	♂	"	243-98-29	Otomys
98	1662	♂	"	278-160-28	Actomys
99	1663	♂	"	272-157-27	"
100 LC	1664	♂	"	110-33-13	Shrew
101 LC	1665	♀	" (3 pr. tails total)	275-147-37	E. Shrew
102	1666	♂	"	295-168-28	Actomys
103	1667	♂	"	237-98-30	"
104	1668	♂	"		Otomys
105	1669	♂	"		Striped Mouse
106 LC	1670	♂	"	122-47-13	Shrew
107	1671	♂	"	122-50-13	B. Shrew
108	1672	♂	"	225-90-28	Otomys
109	1673	♂	Pretoria Zoo	293-0-52	Dassie
110	1674	♂	Murray Farm	Skeleton	Actomys
111	1675	♂	"	"	"
112	1676	♂	"	"	"
113 LC	1677	♂	"	"	"
114	1678	♂	"	"	"
115	1679	♀	"	270-143-37	E. Shrew
116	1680	♂	"	276-145-38	E. Shrew
117	1681	♂	"	302-300-109	Water Mongoose
118	1682	♂	"	568-272-61	Slender Mongoose

Comments
found along small stream

Oct. 6, 1948

3 nipples each side posteriorly

"
"
"
"
"
"

3 embryos (in alcohol)

Oct 7, 1948

2 well dev. embryos in alcohol

"
"
"
"
"
"
"
"
"
"

Oct. 10, 1948

"
"

(1 pr mammae midway) in field
1 small embryo) Bare skin around ramp and genital organs. Below forelegs, 1 ft. Posteriorly.

Oct. 11, 1948

Oct. 13, 1948

"

Skeleton

Oct. 13, 1948

Striped (2 embryos) Skull only
1 pr. tits by anal opening, 2 pr grouped at base of hind leg.
1 embryo
Bicolored grey phase - first collected

"
"
"
"
"
"

Oct. 15, 1948

"
"
"
"
"
"
"

Caught in trap along small stream
4 mammae (2 embryos in formalin) iris yellow.

Oct. 18, 1948

Oct. 20, 1948

476 New No.	Old No	Sex	locality	measurement	Species
(AM) 119 -	1683	♀	Murrey Farm	833-332-107	water snake
(UC) 120	1684	♂	" "	595-261-65	Lesser "
121 AM	1685	♂	" "	584-305-64	" "
(JC) 122 UC	1686	♀	" "	550-258-58	" "
(UC) 123	1687	♂	10 mi. E. NKana, N. Rhodes	Skull only	Silver Jack
(UC) 124	1688	♀	Luanshya, N. Rhodes	275-146-33	side striped
(UC) 125	1689	♂	" "	204-103-24	Gerbil
(UC) 126	1690	♀	" "	125-54-16	legless
(UC) 127	1691	♀	" "	193-100-23	Mouse
(UC) 128	1692	♀	" "	198-104-23	" gong
(UC) 129	1693	♀	" "	190-102-23	"
(UC) 130	1694	♀	" "	200-105-23	"
(P) 131	1695	♂	" "	210-106-24	"
(UC) 132	1696	♀	" "	200-105-23	"
(P) 133	1697	♀	" "	Skeleton	"
(UC) 134	1698	♂	" "	176-96-22	"
(UC) 135	1699	♂	" "	192-106-23	"
(UC) 136	1700	♂	" "	Skull only	"
(UC) 137	1701	♂	" "	317-182-33	Rat
(UC) 138	1702	♂	" "	217-114-25	Mouse
139	1703	♂	" "	171-24-575	Fruit Bat
140	1704	♀	5 mi. W. "	Skull only	Hare
(O) 141 LC	1705	♀	" "	in formalin	Skink
(O) 142 LC	1706	♂	" "	"	Lizard
(X) 143 LC	1707	♀	" "	132-60-15	Shrew
144	1708	♀	" "	149-60-18	"
145	1709	♀	" "	221-82-31	Otamys
(UC) 146	1710	♀	" "	in formalin	Skink
147	1711	♀	" "	"	"
148	1712	♀	near quarters	"	Camelion
149	1713	♀	" "	198-105-23	Mouse
150	1714	♀	" "	in formalin	Lizard
(P) 151	1715	♀	" "	"	Snake
(UC) 152	1716	♀	5 mi. W, Luanshya	"	Lizard
(UC) 153	1717	♀	12 mi SW "	"	Shrew
(UC) 154	1718	♀	" "	760-72-32	Duker
(UC) 155	1719	♀	" "	535-62-112	Hare
(UC) 156	1720	♀	" "	390-233-30	small
(UC) 157	1721	♂	" "	275-175-25	tenur
(UC) 158	1722	♀	5 mi. W, "	705-400-45	"
		♀	" "	Skeleton	Large
		♀	" "	"	leopard
		♀	" "	"	Mouse
		♀	" "	"	Gerbil
		♀	" "	"	Mouse

Comments

477

Date

Caught in trap at waters edge of south Creek

Oct. 28, 1947
Oct. 29, 1947

Nov. 3, 1947

found dead along road
trapped

Nov. 21, 1948

" open woodland

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

Nov. 23

" "

Nov. 24

" "

" "

Nov. 25

" "

" "

" "

" "

" "

" "

" "

Nov. 26,

" "

" "

" "

" "

" "

" "

" "

Nov. 27

Native Compound

in ant hill in town

In trees by quarters

Dead on road

Shortridge) single tit each side of vagina, 2 tits on each hind leg
in open reed and grass swamp, used in ways

Otomys irregularis maximus

in open reed and grass swamp (Black in color)

in open woodland, trap just by lake

Black Kog Kog Koggelmander

caught in grassy swamp

shot in open woodland

shot in open woodland

shot in open woodland

"

"

478 No	Old No	Sex	Locality	Measurements	Species
(U.C.) 161	1723	♂	5 mi. w. Luanshya	350-140-35	Gerbil
(U.C.) 162	1724	?	"	187-91-21	Mouse
4 (U.C.) 163	1725	♂	Luanshya	297-160-33	Mouse ?
(U.C.) 164	1726	-	5 mi. w. Luanshya	in formalin	Snake
(U.C.) 165	1727	♂	"	126-50-17	Mouse
(U.C.) 166	1728	♀	"	118-47-15	Legs
(U.C.) 167	1729		"	in formalin	Doon slang
(U.C.) 168	1730		"	"	Skin K
(U.C.) 169	1731	♂	"	174-84-17	Spiny mouse
(U.C.) 170	1732	♂	"	164-75-15	"
(U.C.) 171	1733	♂	"	16	"
(U.C.) 172	1734	♂	"	118-39-15	Mouse
(U.C.) 173	1735		"	in formalin	Chameleon
(U.C.) 174	1736		"	"	"
(U.C.) 175	1737	♀	"	Skeleton	Spiny mouse
(U.C.) 176	1738	♀	"	"	mouse?
(U.C.) 177	1739	♂	in Luanshya	295-132-31	Gerbil
(U.C.) 178	1740	♀	"	265-140-33	"
(U.C.) 179	1741	♀	"	195-99-21	House mouse
(U.C.) 180	1742		5 mi. w. Luanshya	in formalin	Skink
(U.C.) 181	1743		"	"	"
(U.C.) 182	1744	♂	near quarters	266-115-28	Actomys
(U.C.) 183	1745	♂	in Luanshya	270-121-28	"
(U.C.) 184	1746	♂	"	214-109-23	Mouse?
(U.C.) 185	1747		"	in formalin	Chameleon
(U.C.) 186	1748		in Luanshya	"	Lizard
(U.C.) 187	1749		"	"	Lizard
(U.C.) 188	1750	?	5 mi. w. "	Skull only	Spiny mouse
(U.C.) 189	1751	♀	"	Skeleton	Mouse?
(U.C.) 190	1752	♂	"	163-80-17	Spiny mouse
(U.C.) 191	1753	♀	"	164-18-22	Pouched mouse
(U.C.) 192	1754	♂	"	288-160-24	Long tailed mouse
(U.C.) 193	1755	♂	"	283-151-33	Gerbil
(U.C.) 194	1756	♂	"	245-105-32	"
(U.C.) 195	1757	♂	"	219-105-23	Mouse?
(U.C.) 196	1758	♂	"	205-100-24	"?
(U.C.) 197	1759	♂	"	"	"
(U.C.) 198	1760	♂	"	Skeleton	Actomys
(U.C.) 199	1761	♂	"	295-145-29	"
(U.C.) 200	1762	♂	"	280-176-29	"
(U.C.) 201	1763	♂	"	290-141-30	"

Notes

Testes greatly enlarged

Creek Rat (Pelomys fallax (Rhodesian))

Leggodo

first time seen or collected

in Bush by Notice Camp

Tail missing Body 86-

Amammal posteriorally very delicate skin - falls apart
located caught on ant hill (2 embryos)

(1 embryo)

(half tail eaten by ants) caught in field near quarters

Caught in trap in house
shot with dust shot

Wolambii

eaten in trap

3 pr. tits for - 2 pr. aft - 4 small embryos

Rat Pelomys fallax

479
Date
Nov. 28.

Nov. 29

Nov. 30

Nov. 31

Dec. 1/19

Dec.

✓	1963	♀	5 mi. w. Luanshya	in formalin	Dwarf mouse
✓	1964	"	"	"	Long tail mouse
✓	1965	"	"	"	Spring M.
✓	1966	♀	"	"	Gerbil
✓	1967	♂	"	"	Actomys
UC	1968	♂	"	Skeleton	Spring mouse
UC	1969	♀	"	"	Gerbil
UC	1970	♂	"	"	"
UC	1971	♀	"	"	"
UC	1972	♀	"	"	Pouched mouse
UC	1973	♂	"	"	Mouse?
UC	1974	♂	"	"	Actomys
UC	1975	♀	"	"	"
	1976		in Luanshya	in formalin	Lizard
	1977		"	"	Chameleon
UC	1978		5 mi. w. "	Skull only	Dwarf mouse
UC	1979		"	"	Spring mouse
UC	1980		"	"	"
P	1981	♀	"	Skeleton	"
UC	1982	♀	"	"	"
UC	1983	♂	"	125-48-16	mouse?
UC	1984	♀	"	147-55-18	mouse
UC	1985	♀	"	153-47-19	Pouched mouse
UC	1986	♂	"	158-38-19	"
UC	1987	♂	"	290-438-29	Actomys
UC	1988	♂	"	228-111-24	Multimammus?
	1989	♀	Skeleton	210-102-21	"
	1990	♀	"	Skeleton	Gerbil
	1991	♀	"	Skeleton	Gerbil
	1992	♀	"	112-48-11	Dwarf mouse
UC	1993	♀	"	170-83-17	Spring M.
	1994	♀	"	165-40-17	"
	1995	♀	"	122-44-14	mouse?
✓	1996	♀	"	in formalin	Spring M.
✓	1997	♀	"	"	"
✓	1998	♀	"	"	"
UC	1999	♀	"	130-35-20	Pouched M.
UC	1800	♂	"	161-54-16	Mouse?
UC	1801	♀	"	241-100-33	Gerbil
	1802	♂	"	313-165-32	Rat

481
Dec. 4

"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"

Dec. 5

"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"

Dec. 6 1894

"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"
"

2 well dev. embryos
4 pr. tits evenly spaced ventrally

Skull only
lost
Skull only

2 pr. tits aft. 2 embryos in ovaries

Fat Mouse
part tail missing

482	old no	locality	measurements	Species
	1803	5 mi. W. Lunshui	279-162-24	Squirrel
	1804	"	240-225-45	long tailed M.
	1805	"	277-162-24	Mouse
	1806	"	162-61-17	Spiny M
	1807	"	180-83-18	"
	1808	"	in formalin	"
	1809	"	133-54-16	Mouse
	1810	"	Skull	"
	1811	"	Skeleton	"
	1812	"	Skull	"
	1813	"	165-42-17	Pouched M
	1814	"	138-37-20	"
	1815	"	132-31-18	"
	1816	"	304-154-29	Atomys
	1817	"	295-150-35	Gerbil
	1818	"	276-140-34	"
	1819	"	215-88-33	"
	1820	"	290-150-34	"
	1821	"	275-143-32	"
	1822	"	292-155-32	"
	1823	"	440-225-45	gerbil
	1824	"	98-48-11	Dwarf M
	1825	"	in formalin	"
	1826	"	"	"
	1827	"	"	Spiny M
	1828	"	"	"
	1829	"	"	"
	1830	"	"	"
	1831	"	"	"
	1832	"	Skull	"
	1833	"	Skull	"
	1834	"	Skull	"
	1835	"	303-157-34	"
	1836	"	in formalin	Puff Adder
	1837	"	"	"
	1838	"	165-80-17	Spiny M
	1839	"	264-155-24	Long tailed
	1840	"	135-48-16	stomatomys
	1841	"	154-58-17	"
	1842	"	148-58-18	"
	1843	"	269-136-24	"
	1844	"	168-42-20	Pouched

Stomatys pratensis

Leggads

"
"

4. 2 pr. tits aft
lost of tail ~~phases~~ eaten by ant
" " " "

Dec 8.

272
125
277
11
2910
122
169

Dec 9.

1 pr. tit by Antelope, 2 pr. by Antelope.

8. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.

| 484 | Cat No. | Sex | Locality | Measurements | |
|------|---------|-----|-------------|----------------------|---------------|
| U.C. | 1744 | ♂ | W. Luanshya | 141-35-18 | Pouched M. |
| U.C. | 1745 | ♀ | " | 167-36-20 | " |
| U.C. | 1746 | ♀ | " | 163-48-19 | " |
| U.C. | 1747 | ♂ | " | 295-143-28 | Aetomys |
| U.C. | 1748 | ♂ | " | 277-154-32 | Gerbil |
| U.C. | 1749 | ♂ | " | 280-137-33 | " |
| U.C. | 1750 | ♂ | " | 307-152-33 | " |
| U.C. | 1751 | ♂ | " | 281-136-32 | " |
| U.C. | 1752 | ♀ | " | 285-148-27 | Aetomys |
| U.C. | 1753 | ♀ | " | 172-42-21 | Pouched M |
| U.C. | 1754 | ♀ | " | 150-45-20 | " |
| U.C. | 1755 | ♀ | " | 160-41-20 | " |
| U.C. | 1756 | ♀ | " | Skeleton 138-38-19 | " |
| U.C. | 1757 | ♀ | " | 150-38-21 | " |
| U.C. | 1758 | ♀ | " | Skeleton | " |
| U.C. | 1759 | ♀ | " | 128-38-19 | " |
| LC | 1760 | ♀ | " | 111-48-12 | Dwarf M |
| LC | 1761 | ♀ | " | 125-44-16 | Mouse ? |
| U.C. | 1762 | ♀ | " | Skeleton | Spiny M. |
| U.C. | 1763 | ♀ | " | " | " |
| U.C. | 1764 | ♀ | " | Skull only | " |
| U.C. | 1765 | ♀ | " | 273-159-23 | Long tailed M |
| U.C. | 1766 | ♀ | " | 281-173-24 | " |
| U.C. | 1767 | ♀ | " | 280-178-25 | " |
| U.C. | 1768 | ♀ | " | 150-60-18 | Mouse ? |
| LC | 1769 | ♀ | " | 161-55-20 | " |
| U.C. | 1770 | ♀ | " | 216-101-23 | Multimanate |
| U.C. | 1771 | ♂ | " | SKull only 198-93-29 | " |
| U.C. | 1772 | ♂ | " | 209-91-22 | " |
| U.C. | 1773 | ♀ | " | 201-91-21 | " |
| U.C. | 1774 | ♂ | " | 296-140-28 | Aetomys |
| U.C. | 1775 | ♀ | " | 282-138-34 | Gerbil |
| U.C. | 1776 | ♀ | " | 268-136-34 | " |
| U.C. | 1777 | ♂ | " | 279-135-34 | " |
| U.C. | 1778 | ♂ | " | malcolmed | Gerbil |
| U.C. | 1779 | ♀ | " | 121-55-14 | Shrew |
| U.C. | 1780 | ♀ | " | 138-46-15 | Shrew |
| U.C. | 1781 | ♀ | " | (Skull only) | plutimanate M |
| U.C. | 1782 | ♀ | " | 249-120-25 | " |
| U.C. | 1783 | ♀ | " | 120-39-19 | Crown Shrew |
| U.C. | 1784 | ♀ | " | 126-36-12 | Black Shrew |
| U.C. | 1785 | ♀ | " | | |

wo/ambii

2 pr tits forelegs, 2 pr hindlegs
Leggodo

2 pr. tits aft, 1 pr dry forelegs

Shortridge

testes greatly enlarged

3 pr. tits well 5140

" " "

Dec 8, 1901

Dec 10

"

"

"

"

| 186 | No. | Sex | Locality | Measurements | Species |
|-------------------|------|-----|------------------|-----------------------|--------------|
| +
VC
O
O | 1896 | ♂ | 5 mi. S. Lumbago | 300-142-33 | Rat ? |
| | 1897 | ♂ | " | Skull only | Shrew |
| | 1898 | ♂ | " | 124-34-24 | " |
| LC | 1899 | ♂ | " | 48-56-15 | " |
| | 1890 | ♂ | " | " | Dwarf M |
| VC | 1891 | ♂ | " | " | Spiny M |
| LC | 1892 | ♂ | " | 141-25-19 | Pouched M |
| LC | 1893 | ♀ | " | 275-138-31 | Rat |
| + | 1894 | ♂ | " | 102-50-13 | Dwarf M |
| + | 1895 | ♂ | " | 95-39-13 | " |
| VC | 1896 | ♂ | " | 278-130-32 | Swamp Rat |
| VC | 1897 | ♂ | " | 155-28-18 | Pouched M |
| P | 1898 | ♂ | " | 156-48-21 | " |
| D.C. | 1899 | ♂ | Skeletom | 225-110-23 | " |
| D.C. | 1899 | ♂ | " | 225-110-23 | Multimammate |
| D.C. | 1900 | ♂ | " | 240-120-24 | " |
| O | 1901 | ♂ | " | 227 Skeletom | " |
| O | 1902 | " | " | (Skull only) | Chamelian |
| O | 1903 | " | " | in alcohol | Spiny Mouse |
| ✓ | 1904 | " | " | " | " |
| ✓ | 1905 | " | " | " | " |
| ✓ | 1906 | " | " | " | " |
| D.C. | 1907 | ♂ | " | 127-23-19 | Pouched M |
| D.C. | 1908 | ♂ | " | 227-102-25 | Multim-M |
| O | 1909 | ♂ | " | 227-110-22 | " |
| O | 1910 | ♂ | " | 304-159-32 | Rat ? |
| D.C. | 1911 | ♂ | " | 158-40-20 | Pouched M |
| D.C. | 1912 | ♂ | " | 160-37-20 | " |
| O | 1913 | ♂ | " | 125-31-19 | " |
| O | 1914 | ♂ | " | 234-109-25 | Multi M |
| D.C. | 1915 | ♂ | " | Skeletom | Spiny M |
| D.C. | 1916 | ♂ | " | Skull | " |
| P | 1917 | ♂ | " | Skeletom | " |
| P | 1918 | ♂ | " | Skeletom | Pouched M |
| P | 1919 | ♂ | " | " | Multi M |
| D.C. | 1920 | ♂ | " | " | " |
| D.C. | 1921 | ♂ | " | " | " |
| D.C. | 1922 | ♂ | " | " | " |
| D.C. | 1923 | ♂ | " | " | Buff Shrew |
| D.C. | 1924 | ♂ | " | 100-18 | Spiny M |
| D.C. | 1925 | ♂ | " | 304-164-35 | Gerbi |
| D.C. | 1926 | ♂ | " | 124-34-18 | Pouched M |
| D.C. | 1927 | ♂ | " | 112-30-17 | " |

Dasymys nudipes Caught in Swamp
in Swamp

Dec. 15, 19
Dec 16

in Swamp (*Pelomys fallax*)
in Alcohol

in Swamp (Skull damaged) *Dasymys nudipes*

Aetomys

Skeleton (

Skeleton

Skull only (2.5 - 3.0)

Skull only

Skeleton

Tail missing

Young

Jan. 17

[illegible]

12 mi. W.
5 mi. W

| | |
|---------------|---------------|
| 105-33-12-273 | Bat |
| 790-444-72 | Giant Rat |
| 650-314-83 | Genet Cat |
| 932-435-96 | " " |
| 742-419-97 | Large Lemur |
| 550-310-85 | " " |
| 544-310-84 | " " |
| 534-311-79 | " " |
| 743-423-97 | " " |
| 270-169-24 | Long tailed M |
| 175-66-18 | (Buff) Mouse |
| 250-126-25 | Multi M |
| Skeleton | Pouched M |
| " | " |
| 123-33-20 | " |
| 151-61-29 | Gerbil |
| 266-140-33 | " |
| 277-140-34 | " |
| 241-121-35 | " |
| 200-105-30 | " |
| 208-113-31 | " |
| 211-117-32 | " |
| 308-160-35 | " |
| 272-135-32 | " |
| 280-140-35 | " |
| 235-120-33 | " |
| 279-144-33 | " |
| 280-143-34 | " |
| Skeleton | " |
| " | " |
| " | " |
| " | " |
| " | " |
| " | " |
| " | " |
| " | " |
| " | " |
| " | " |
| 639-336-65 | Giant Rat |
| 673-374-67 | " " |
| 305-143-35 | Monkey |
| | Gerbil |

Caught in flat trap in morning
young cat. (shot)
Flat trap again

2000

3 per. maximum, 1 per. for ...

1920

13

17

1

3

1

4

14

17

44

11

11

1

11

1

11

1000

11

11.

11

1

4

;

1

•

4
9

2

1

Zimbabwe

| | | | | | |
|-------|------|---|---------------|-------------|--------------|
| 107 | 1110 | ♂ | 5 mi W Lusaka | 295-135-33 | Gerbil |
| 108 | 1111 | ♀ | " | 225-108-24 | Multi |
| 109 | 1112 | ♀ | " | 227-105-23 | " |
| + 110 | 1113 | ♂ | 10 mi W | 747-405-104 | Large Lemur |
| 111 | 1114 | ♂ | " | 360-215-62 | Small |
| 112 | 1115 | ♀ | " | 356-212-62 | " |
| 113 | 1116 | ♀ | 15" N | | Cat |
| + 114 | 1117 | ♂ | Lusaka | 143-37-20 | Dormouse |
| 115 | 1118 | ♂ | 5 mi W | 215-118-29 | Rat |
| 116 | 1119 | ♀ | " | 113-46-12 | Dwarf M |
| P-117 | 1120 | ♀ | " | in formalin | " |
| 118 | 1121 | ♂ | " | " | Green Monkey |
| + 119 | 1122 | ♂ | " | " | Grant Rat |
| 120 | 1123 | ♂ | " | 171-47-20 | Pouched M |
| 121 | 1124 | ♂ | " | 141-39-22 | " |
| 122 | 1125 | ♀ | " | Skeleton | Multi M |
| 123 | 1126 | ♂ | " | 245-102-29 | Rat |
| 124 | 1127 | ♂ | " | 252-120-23 | Multi M |
| 125 | 1128 | ♀ | " | 216-115-23 | " |
| 126 | 1129 | " | " | Skeleton | Rat ? |
| 127 | 1130 | " | " | " | Multi M |
| 128 | 1131 | " | " | " | " |
| 129 | 1132 | " | " | " | " |
| 130 | 1133 | " | " | " | Pouched |
| 131 | 1134 | " | " | " | " |
| 132 | 1135 | " | " | " | " |
| 133 | 1136 | " | " | " | " |
| 134 | 1137 | " | " | " | " |
| 135 | 1138 | " | " | " | " |
| 136 | 1139 | ♀ | " | 167-56-19 | Buff M |
| 137 | 1140 | ♀ | " | 164-43-21 | Pouched M |
| 138 | 1141 | ♂ | " | 168-37-22 | " |
| 139 | 1142 | ♂ | " | 153-34-21 | " |
| 140 | 1143 | ♂ | " | 146-40-20 | " |
| 141 | 1144 | ♂ | " | 145-45-22 | " |
| 142 | 1145 | ♂ | " | 173-47-20 | " |
| 143 | 1146 | ♂ | " | Skeleton | " |
| 144 | 1147 | ♀ | " | 149-40-21 | " |

Supplies

Dec. 31

"

"

Jan. 3, 1944

"

"

Jan 3, 1944

Jan 6, "

"

"

"

Jan 7, 1944

"

Jan 7,

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

110-45-12

Skeleton

Criceomys gambianus victor

Criceomys wahlambi

(Fatmouse)

or mouse

(6 embryos in a label)
4 embryos " "

Jan. 1

Addresses

Mr. Schottler, To Nature Commissioner
Cambridge (Animal Division)

Mr. Harold Eddy, (Nature Commissioner)
~~Cambridge - Thomas D. Schottler.~~

Capt. Shortridge - Curator of Maferian Museum
King Williamstown

Dr. L. J. Fournie, Rabbing, P.O. Plettenburg Bay,

Mr. C. E. E. Theron, P.O. Box 10, Wynburg

Cornel Middlemiss, P.O. Box 3803, Capetown

Pickford - 67 Waterwood, Walmer. P.E.

J. P. M. Niven - Amang's Estates, Uitenhage

Ray McHugh, 738 York St. Vallejo - Calif

Nico Smith, 11 Snowden Avenue

L. H. Clark 25 Walton Rd, Mill Park, P.E.

~~Heide-Ann Walker 6 Eldon's Court, De Villiers St. Johannesburg~~

Dr. Campbell - Windhoek, Pathologist.

{ Mrs. Joan Righthouse "Elwyn" (Whitely Rd.)
of Sandown Rd. Rondebosch PL. 6.1031
Lorles Chambers 57 Plein St. Room 12 }

Göttert, Farm Texas, Postsoek Gobabis ^{S.W.} Africa

J. P. Haysamer Lt. Sgt. S.A. Police, Kamanyab, P.O. Oyo.

J. Haysamer (wife)

Stella Courtis, 25, Wedwood Court, Outh St. D.

W. Haysamer - Y.W.C.A. Residence, Denver Colo.

Mammals captured in EL Peten, Guatemala. by

| | | | |
|---------|--------------|--|-----------|
| NO. 1. | <u>Mouse</u> | San Miguel Water Hole, 3/4 mile from Flores, Guatemala, March 24, 1946 | |
| NO. 2. | <u>Bat</u> | House in Flores, Guatemala, March 29, 1946, ♂ | TL 113 |
| NO. 3. | <u>Bat</u> | House in Flores, " " " (♀) ♂ | TL 107 MM |
| NO. 4. | <u>Bat</u> | House in Flores, " " " (♂) | TL 105 MM |
| NO. 5. | <u>Bat</u> | House in Flores, " March 30, 1946 (♀) | |
| NO. 6. | <u>Bat</u> | School house in Flores, March 31, 1946 ♂ | |
| NO. 7. | <u>Bat</u> | " " " " ♂ | |
| NO. 8. | <u>Bat</u> | " " " " ♂ | |
| NO. 9. | <u>Bat</u> | " " " " (♀) | |
| NO. 10. | <u>Bat</u> | " " " " (♀) | |
| NO. 11. | <u>Bat</u> | " " " " ♂ | |
| NO. 12. | <u>Bat</u> | " " " " ♂ | |
| NO. 13. | <u>Bat</u> | " " " " ♂ | |
| NO. 14. | <u>Bat</u> | " " " " ♂ | |
| NO. 15. | <u>Bat</u> | " " " " ♂ | |
| NO. 16. | <u>Bat</u> | House in Flores " " ♂ | |
| NO. 17. | <u>Bat</u> | " " " " ♂ | |
| NO. 18. | <u>Bat</u> | " " " " ♂ | |
| NO. 19. | <u>Bat</u> | " " " " ♂ | |
| NO. 20. | <u>Bat</u> | " " " " ♂ | |
| NO. 21. | <u>Bat</u> | " " " " ♀ | |
| NO. 22. | <u>Bat</u> | " " " " ♂ | |
| NO. 23. | <u>Bat</u> | " " " " ♂ | |
| NO. 24. | <u>Bat</u> | " " " " ♂ | |
| NO. 25. | <u>mouse</u> | House in Flores, March 31, 1946 ♀ | |
| NO. 26. | <u>mouse</u> | " " " April, 1, 1946 ♀ | |
| NO. 27. | <u>Mouse</u> | " " " April, 1, 1946 ♀ | |
| NO. 28. | <u>mouse</u> | " " " April, 1, 1946 ♂ | |
| NO. 29. | <u>Mouse</u> | " " " April, 1, 1946 ♂ | |
| NO. 30. | <u>mouse</u> | " " " " " ♀ | |
| NO. 31. | <u>Mouse</u> | one mile South of La Libertad April 5, 1946 ♂ | |
| NO. 32. | <u>mouse</u> | " " " " " ♀ | |
| NO. 33. | <u>Bat</u> | Building in La Libertad April 5, 1946 ♂ | |
| NO. 34. | <u>Bat</u> | " " " " " ♀ | |
| NO. 35. | <u>Bat</u> | " " " " " ♀ | |
| NO. 36. | <u>Bat</u> | " " " " " ♀ | |
| NO. 37. | <u>Bat</u> | " " " " " ♀ | |

WS 210 MM - na - reus

Thomas J. Larson.

| | | | |
|------------------------|---------------------|---------------------|--------------------------------------|
| ♂ TL 222 ^{mm} | T 123 ^{mm} | HF 29 ^{mm} | Trap almost cut off tail near rump. |
| MM T 36 ^{mm} | HF 10 ^{mm} | | caught in ceiling during daylight. |
| T 44 ^{mm} | HF 12 ^{mm} | " | " " " " |
| T 38 ^{mm} | HF 11 ^{mm} | " | " " " " |
| TL 100 ^{mm} | T 38 ^{mm} | HF 16 ^{mm} | " " " " |
| TL 99 ^{mm} | T 40 ^{mm} | HF 11 ^{mm} | testes of all males enlarged. |
| TL 97 ^{mm} | T 41 ^{mm} | HF 10 ^{mm} | " " " " |
| TL 97 ^{mm} | T 38 ^{mm} | HF 10 ^{mm} | " " " " |
| TL 98 ^{mm} | T 37 ^{mm} | HF 11 ^{mm} | |
| TL 97 ^{mm} | T 37 ^{mm} | HF 11 ^{mm} | |
| TL 99 ^{mm} | T 39 ^{mm} | HF 11 ^{mm} | |
| TL 100 ^{mm} | T 39 ^{mm} | HF 11 ^{mm} | |
| TL 95 ^{mm} | T 37 ^{mm} | HF 11 ^{mm} | |
| TL 97 ^{mm} | T 42 ^{mm} | HF 10 ^{mm} | |
| TL 97 ^{mm} | T 38 ^{mm} | HF 10 ^{mm} | |
| TL 98 ^{mm} | T 39 ^{mm} | HF 8 ^{mm} | |
| TL 100 ^{mm} | T 41 ^{mm} | HF 9 ^{mm} | |
| TL 99 ^{mm} | T 39 ^{mm} | HF 10 ^{mm} | |
| TL 99 ^{mm} | T 40 ^{mm} | HF 10 ^{mm} | |
| TL 97 ^{mm} | T 39 ^{mm} | HF 10 ^{mm} | |
| TL 95 ^{mm} | T 39 ^{mm} | HF 9 ^{mm} | |
| TL 93 ^{mm} | T 38 ^{mm} | HF 10 ^{mm} | |
| TL 98 ^{mm} | T 40 ^{mm} | HF 9 ^{mm} | |
| TL 98 ^{mm} | T 41 ^{mm} | HF 10 ^{mm} | W.S. 265 ^{mm} |
| TL 175 ^{mm} | T 105 ^{mm} | HF 14 ^{mm} | skin made up |
| TL 180 ^{mm} | T 107 ^{mm} | HF 16 ^{mm} | |
| TL 160 ^{mm} | T 100 ^{mm} | HF 13 ^{mm} | |
| TL 156 ^{mm} | T 97 ^{mm} | HF 14 ^{mm} | |
| TL 187 ^{mm} | T 110 ^{mm} | HF 15 ^{mm} | Testes greatly enlarged. |
| TL 165 ^{mm} | T 102 ^{mm} | HF 15 ^{mm} | |
| TL 247 ^{mm} | T 133 ^{mm} | HF 31 | Skull crushed in trap. |
| TL 244 ^{mm} | T 128 | HF 28 | |
| TL 101 ^{mm} | T 42 ^{mm} | HF 11 ^{mm} | WS 282 ^{mm} |
| TL 96 ^{mm} | T 38 ^{mm} | HF 9 ^{mm} | WS 260 ^{mm} |
| TL 102 ^{mm} | T 40 ^{mm} | HF 10 ^{mm} | WS 275 ^{mm} |
| TL 97 ^{mm} | T 38 ^{mm} | HF 9 ^{mm} | WS 280 ^{mm} |
| TL 71 ^{mm} | T 29 ^{mm} | HF 6 ^{mm} | WS 210 ^{mm} - had two fetus |

Mayors office

| | | | |
|--------|-------------------|---------------------------|----------------------------------|
| ✓ 1275 | Otomys | Van Pitting's Farm | 6 1/2 mi. N.W. Krugersdorp |
| 1276 | Striped Mouse | " | " |
| 1277 | " | " | " |
| 1278 | Fat Mouse | " | " |
| 1279 | " | " | " |
| ✓ 1280 | Gerbil | " | " |
| ✓ 1281 | " | " | " |
| ✓ 1282 | Mole rat | " | " |
| ✓ 1283 | Fat Mouse | " | " |
| ✓ 1284 | Gerbil | " | " |
| ✓ 1285 | " | " | " |
| ✓ 1286 | Otomys | " | " |
| ✓ 1287 | Fat Mouse | " | " |
| ✓ 1288 | Dwarf Mouse | " | " |
| 1289 | " | 5 mi. S. Pretoria on Road | |
| 1290 | Frog | Ledward farm | 5 mi. N. Champagne Castle, Natal |
| 1291 | " | " | " |
| 1292 | " | " | " |
| 1293 | Mouse | " | " |
| 1294 | " | " | " |
| 1295 | " | " | " |
| 1296 | " | " | " |
| 1297 | " | " | " |
| 1298 | " | " | " |
| ✓ 1299 | Frog | Nico Smith Farm | 2 mi. W. Port Elizabeth |
| 1300 | " | " | " |
| ✓ 1301 | Otomys | " | " |
| ✓ 1302 | Striped Mouse | " | " |
| ✓ 1303 | " | " | " |
| ✓ 1304 | Fat Mouse | " | " |
| ✓ 1305 | " | " | " |
| ✓ 1306 | Otomys | " | " |
| ✓ 1307 | Striped Mouse | " | " |
| ✓ 1308 | Mouse (mistletoe) | " | " |
| ✓ 1309 | " | " | " |
| ✓ 1310 | Bat | " | " |
| ✓ 1311 | Bat | " | " |

| No. | Date | Locality | Remarks |
|--------------|---------------|---|---|
| ♂ 226-86-30 | July 4, 1948 | (Ditch bank) | |
| ♂ 145-64-19 | " | " | |
| ♀ 147-68-20 | " | " | |
| ♀ 163-67-21 | " | " | |
| ♂ 176-89-23 | " | " | |
| ♂ 221-112-33 | " | In field | |
| ♀ 213-113-33 | " | " | |
| ♀ 139-19-25 | " | Ditch Bank | |
| Skull only | " | " | body eaten by (skull only) other rodent |
| ♀ 204-108-33 | July 6, 1948 | in open field | |
| ♀ 238-137-33 | " | " | |
| ♀ 149-53-26 | " | (young one) along dry creek Bank | |
| ♀ 159-79-22 | " | " | |
| ♀ 99-39-13 | " | " | |
| | July 6, 1948 | found dead on road | |
| | July 17, 1948 | in Alcohol | |
| | " | " | |
| | " | " | |
| | " | " | |
| | " | " | |
| | " | " | |
| | " | " | |
| | " | " | |
| | " | " | |
| | July 27, 1948 | " | |
| ♀ 250-105-30 | July 28, 1948 | Amammal posterior - 2 grouped together | |
| ♂ 217-116-25 | " | Along stream | |
| ♀ Skull only | " | " | |
| ♂ 207-109-24 | " | " | |
| ♂ 220-111-24 | " | " | |
| ♂ 254-104-33 | July 28 | two dark bands running from shoulder to flank in white skin
Caught in small runway on hillside | |
| ♂ 195-94-25 | " | along stream | |
| ♂ 216-105-24 | " | " | |
| ♀ 177-72-21 | " | marked mites | |
| ♂ 93-31-13 | " | " | |
| ♂ 98-33-14 | -320 | " | |

- ♂
6
♀
946
♂
♀
♀
♀
1941
1945
♂
♂
♀
♂
♂
♂
♀
♀

→ 0

ches

- ♂
♂
♂
1946
♂
♂
♂
♀
♂
♀

♀
♀
♀
♀
♂
♀

Remarks

~~TL 186^{MM} T 85^{MM} HF 16^{MM} - Part of tail missing -~~

TL 157^{MM} T 72^{MM} HF 20^{MM}

TL 230^{MM} T 120^{MM} HF 30^{MM}

TL 200^{MM} T 110^{MM} HF 27^{MM}

TL 341^{MM} T 133^{MM} HF 48^{MM}

TL 231^{MM} T 120^{MM} HF 29^{MM} ♂

TL 213^{MM} T 108^{MM} HF 27^{MM} ♂

TL 97^{MM} T 34^{MM} HF 9^{MM} WS 303^{MM}

TL 102^{MM} T 44^{MM} HF 10^{MM} WS 297^{MM}

TL 95^{MM} T 40^{MM} HF 9^{MM} WS 253^{MM}

TL 98^{MM} T 40^{MM} HF 10^{MM} WS 280^{MM}

TL 105^{MM} T 41^{MM} HF 10^{MM} WS 286^{MM}

TL 1260^{MM} T 680^{MM} HF 163^{MM}, April 9, 1946

TL 1095^{MM} T 555^{MM} HF 140^{MM}, April 9, 1946

TL 1180^{MM} T 640^{MM} HF 152^{MM}, April 9, 1946

hills in the vicinity. They were detected by an Indian guide and
Though the animals could hear our approach, they did not move
the third came back to watch us which proved fatal for him.
Large fly that infect animals and people in these regions.

TL 56^{MM} T 7^{MM} HF 9^{MM} WS 214^{MM}

TL 51^{MM} T 5^{MM} HF 11^{MM} WS 199^{MM}

TL 52^{MM} T 8^{MM} HF 10^{MM} WS 206^{MM}

TL 223^{MM} T 105^{MM} HF 27^{MM}

TL 57^{MM} T 7^{MM} HF 11^{MM} WS 239^{MM}

TL 67^{MM} T 9^{MM} HF 11^{MM} WS 249^{MM} (Brown body)

TL 57^{MM} T 8^{MM} HF 11^{MM} WS 236^{MM}

TL 49^{MM} T 7^{MM} HF 11^{MM} WS 195^{MM}

TL 63^{MM} T 8^{MM} HF 11^{MM} WS 238^{MM}

TL 49^{MM} T 7^{MM} HF 10^{MM} WS 211^{MM}

very large
chest devel-
opment



TL 53^{MM} T 7^{MM} HF 11^{MM} WS 238^{MM}

TL 53^{MM} T 8^{MM} HF 11^{MM} WS 243^{MM}

TL 59^{MM} T 10^{MM} HF 12^{MM} WS 247^{MM}

TL 51^{MM} T 7^{MM} HF 10^{MM} WS 229^{MM}

| | | | | |
|--------|---------------|--|----------------------|---|
| 1312 | Bat | Matlond Mines | 20 mi. W. Port Eliz. | |
| 1313 ✓ | Striped Mouse | Nico Smith farm | | " |
| 1314 ✓ | " | | | " |
| 1315 ✓ | " | | | " |
| 1316 ✓ | " | | | " |
| 1317 ✓ | " | | | " |
| 1318 ✓ | " | | | " |
| 1319 ✓ | " | | | " |
| 1320 ✓ | " | | | " |
| 1321 ✓ | " | | | " |
| 1322 ✓ | Golden Mole | 15 mi. W. Cape Road | | " |
| 1323 ✓ | " | " (2 small embryos) | | " |
| 1324 ✓ | Otomys | Nico Smith farm | | " |
| 1325 ✓ | " | | | " |
| 1326 ✓ | Striped Mouse | | | " |
| 1327 ✓ | " | | | " |
| 1328 ✓ | " | | | " |
| 1329 ✓ | " | | | " |
| 1330 ✓ | " | | | " |
| 1331 ✓ | " | | | " |
| 1332 ✓ | " | | | " |
| 1333 ✓ | " | | | " |
| 1334 ✓ | " | | | " |
| 1335 ✓ | Golden Mole | 20 mi from P.E. on Road to Nico Smith farm | | " |
| 1336 ✓ | " | | | " |
| 1337 ✓ | Otomys | Nico Smith farm | | " |
| 1338 ✓ | Mouse | | | " |
| 1339 ✓ | " | | | " |
| 1340 ✓ | " | | | " |
| 1341 | Otomys | | | " |
| 1342 | " | | | " |
| 1343 ✓ | Bat | | | " |
| 1344 ✓ | " | | | " |
| 1345 ✓ | " | | | " |
| 1346 ✓ | Shrew | | | " |
| 1347 ✓ | W. rat | | | " |
| 1348 ✓ | Snake | | | " |

(8)

| | | | |
|---|------------------|-------------------------------|-------------|
| ♀ | 362-95-35-14-360 | | |
| ♂ | 232-119-26 | | July 30 |
| ♂ | 236-121-26 | | " |
| ♂ | 128-14-26 | tail lost | " |
| ♀ | 155-37-26 | " " | " |
| ♂ | 206-106-26 | | " |
| ♀ | 220-11A-26 | | " |
| ♀ | 228-115-26 | | " |
| ♀ | 215-111-24 | | " |
| ♂ | 221-115-25 | | " |
| ♂ | 120-0-14 | in sandy loam, (below runway) | July 31 |
| ♀ | 113-0-13 | " | " |
| ♂ | 226-61-32 | half tail missing | " |
| ♂ | 206-81-31 | | " |
| ♀ | 226-118-25 | | " |
| ♂ | 233-119-26 | | " |
| ♀ | 226-49-26 | | " |
| ♂ | 168-50-27 | 1/2 tail missing | " |
| ♂ | 203-113-25 | | " |
| ♂ | 249-136-27 | | " |
| ♀ | 219-112-25 | | " |
| ♂ | 245-119-26 | | " |
| ♀ | 219-117-26 | | " |
| ♂ | 121-0-12 | | " |
| ♀ | 116-0-11 | | " |
| ♀ | 226-95-31 | | " |
| ♀ | 210-95-23 | 8 pr. mammae (8 embryos) | " |
| ♂ | 208-97-23 | | " |
| ♂ | 193-95-22 | | " |
| ♂ | 278-110-32 | | Aug 1 |
| ♂ | 244-91-30 | | " |
| ♀ | 91-31-14-344 | | Aug 2, 1948 |
| ♂ | 80-26-11-316 | (young) 1st year | " |
| ♀ | 77-23-11-309 | | " |
| ♂ | 110-40-14 | large Penis 19 mm | " |
| ♀ | 141-15-25 | | " |

| | | | | |
|----------|----------------|--------------------------|----------------|---|
| ✓ NO. 66 | Bat | House in La Libertad, | April 12, 1946 | ♂ |
| ✓ NO. 67 | Bat | " " " " | " | ♂ |
| ✓ NO. 68 | Bat | " " " " | " | ♂ |
| NO. 69 | Bat | " " " " | " | ♂ |
| NO. 70 | Bat | " " " " | " | ♂ |
| NO. 71 | Bat | " " " " | " | ♂ |
| NO. 72 | Bat | " " " " | " | ♂ |
| NO. 73 | Bat | " " " " | " | ♂ |
| NO. 74 | Bat | " " " " | " | ♂ |
| ✓ NO. 75 | Howler Monkey, | 1 mile from La Libertad, | April 13, 1946 | ♂ |

| | | | | |
|----------|--------------|--|----------------|---|
| ✓ NO. 76 | Rat, | La Libertad, | April 14, 1946 | ♂ |
| ✓ NO. 77 | Bat | " " " | " | ♂ |
| ✓ NO. 78 | Bat | " " " | " | ♂ |
| ✓ NO. 79 | Bat | " " " | " | ♂ |
| NO. 80 | Bat | " " " | " | ♂ |
| NO. 81 | Night Walker | Laguna de Petenxil, | April 20, 1946 | ♀ |
| NO. 82 | " | " " " " " | April 20, 1946 | ♂ |
| ✓ NO. 83 | Bat | Cave 2 miles south Flores, | April 22, 1946 | ♂ |
| ✓ NO. 84 | Bat | " | " | ♂ |
| ✓ NO. 85 | Bat | " | " | ♂ |
| NO. 86 | Bat | " | " | ♂ |
| ✓ NO. 87 | Bat | " | " | ♂ |
| ✓ NO. 88 | Bat | " | " | ♂ |
| NO. 89 | Bat | " | " | ♂ |
| NO. 90 | Squirrel | 17 Woods 1 mile South Puebla Nueva, Peten, | April 23 1946 | ♂ |
| NO. 91 | mouse | House in La Libertad | April 12, 1946 | ♂ |
| NO. 92 | mouse | " " " " | " " " " | ♀ |
| NO. 93 | Bat | House in La Libertad | April 12, 1946 | ♂ |
| NO. 94 | Bat | " " " | " " " | ♂ |
| NO. 95 | Bat | " " " | " " " | ♂ |
| NO. 96 | Bat | " " " | " " " | ♀ |
| NO. 97 | Bat | " " " | " " " | ♀ |
| NO. 98 | Bat | " " " | " " " | ♂ |

(10)

TL 59^{mm} T 8^{mm} HF 10^{mm} WS 227^{mm}

TL 61^{mm} T 9^{mm} HF 11^{mm} WS 228^{mm}

TL 45^{mm} T 6^{mm} HF 10^{mm} WS 198^{mm}

TL T HF WS

TL T HF WS

TL T HF WS

TL T HF WS

TL T HF WS

TL T HF WS

TL 1250^{mm} T 650^{mm} HF 159^{mm} Shot 1 mile south of La Libertad
in a small tree.

TL 222^{mm} T 95^{mm} HF 29^{mm}

TL 38^{mm} T 5^{mm} HF 10^{mm} WS 141^{mm}

TL 47^{mm} T 6^{mm} HF 11^{mm} WS 196^{mm}

TL 49^{mm} T 9^{mm} HF 11^{mm} WS 203^{mm}

TL T HF WS

TL 845^{mm} T 440^{mm} HF 85^{mm} - had on fangs ready to bite

TL 891^{mm} T 444^{mm} HF 87^{mm}

TL 82^{mm} T 26^{mm} HF 9^{mm} W - 345^{mm}

TL 57^{mm} T 7^{mm} HF 11^{mm} W 247^{mm}

TL 92^{mm} T 51^{mm} HF 9^{mm} W 251^{mm}

TL 87^{mm} T 47^{mm} HF 9^{mm} W 258^{mm}

TL 90^{mm} T 50^{mm} HF 9^{mm} W 263^{mm} -

TL 89^{mm} T 49^{mm} HF 9^{mm} W 256^{mm} -

TL 91^{mm} T 47^{mm} HF 8^{mm} W 255^{mm} -

TL 331^{mm} T 145^{mm} HF 41^{mm} testis greatly enlarged

TL 169^{mm} T 98^{mm} HF 16^{mm}

TL 173^{mm} T 98^{mm} HF 18^{mm} skull crushed in tree

TL 41^{mm} T 5^{mm} HF 11^{mm} WS 182^{mm}

TL 49^{mm} T 6^{mm} HF 11^{mm} WS 185^{mm}

TL 41^{mm} T 5^{mm} HF 10^{mm} WS 176^{mm}

TL 49^{mm} T 5^{mm} HF 10^{mm} WS 200^{mm}

TL 43^{mm} T 5^{mm} HF 11^{mm} WS 175^{mm}

TL 44^{mm} T 5^{mm} HF 12^{mm} WS 190^{mm}

(on hill side in open bush) (no grass)

| | | |
|-------|---------------------------------|--|
| 1349 | long tailed mouse | Nico Smith Farm |
| 1350 | " | " |
| 1351 | Golden Mole | 20 th mi. W. P.E. |
| -1352 | " | " |
| 1353 | Otomys | Nico Smith Farm |
| 1354 | " | " |
| ✓1355 | Mole Rat | " |
| 1356 | Gerbil Pouched Mouse | " |
| 1357 | Long tailed Mouse | " |
| 1358 | " | " |
| 1359 | " | " |
| 1360 | Fat Mouse | " |
| 1361 | Mole rat | " |
| 1362 | Shrew | " |
| 1363 | Otomys | " |
| 1364 | " | " |
| 1365 | Bat | " Maitland mine |
| 1366 | " | " |
| 1367 | " | " |
| 1368 | " | " |
| 1369 | " | " |
| 1370 | " | " |
| 1371 | " | " |
| -1372 | Otomys | Nico Smith Farm |
| 1373 | (grey mouse)? | " |
| 1374 | striped Mouse | Skull only |
| 1375 | " | " |
| 1376 | " | " |
| 1377 | " | " |
| 1378 | " | " |
| ✓1379 | Snake - lost | " |
| 1380 | Cape mouse | Nico Smith Farm, in open woods by Creek bank |
| 1381 | Mouse? | " |
| 1382 | Long tailed Mouse | " |
| ○1383 | Fat Mouse | " |
| 1384 | " | " |
| 1385 | " | " |

(12)

| | | |
|--------------------|---------------------------------|--------------|
| ♂ 281-174-28 | very rare (testes enlarged) | Aug 6, 1948 |
| ♀ 279-174-29 | " | " |
| ♂ 113-0-16 | on hill 3 mi from sea | " |
| ♀ 112-0-16 | (2 well developed embryos) | " |
| ♂ 290-129-32 | In grassy field | " |
| ♂ 200-143-30 | " | " |
| ♀ 131-17-24 | " | " |
| ♀ 160-51-18 | " | " |
| ♀ 301-181-27 | " | Aug 7, 1948 |
| ♀ 281-173-24 | " | " |
| ♂ 310-191-29 | " | " |
| ♀ 185-80-22 | (Skull only saved) skin damaged | " |
| ♀ 119-15-21 | " | " |
| ♂ 108-34-12 | " | " |
| ♂ 271-105-33 | " | Aug. 9, 1948 |
| ♂ 264-103-33 | " | " |
| ♂ 336-88-28-13-336 | " | " |
| ♀ 90-33-13-342 | " | " |
| ♀ 91-33-12-334 | " | " |
| ♀ 95-33-13-352 | " | " |
| ♂ 85-29-13-324 | " | " |
| ♀ 92-32-13-360 | " | " |
| ♂ 93-29-13-338 | " | " |
| ♂ 241-108-29 | (2 small embryos in alcohol) | Aug 19, 1948 |
| ♂ 225-112-22 | " | " |
| ♂ 153-65-16 | " | " |
| ♀ 261-165-24 | " | " |
| ♀ 273-164-28 | " | " |
| ♂ 188-96-22 | " | " |
| ♂ 205-100-23 | " | " |
| ♀ 232-77-31 | 1 small embryo in alcohol | " |

damaged by Natives

Mammals of EL Peten, Guatemala

- ✓ No. 1 ⁽²⁴⁾ Bat
 ✓ No. 2. (37)
 ✓ No. 3. (52)
 ✓ No. 4. (53)
 ✓ No. 5. (55)
 * No. 6. (56)
 ✓ No. 7. (57)
 ✓ No. 8. (58)
 ✓ No. 9. (59)
 ✓ No. 10. (60)
 ✓ No. 11. (62)
 ✓ No. 12. (63)
 ✓ No. 13. (64)
 ✓ No. 14. (65)
 ✓ No. 15. (66)
 ✓ No. 16. (67)
 ✓ No. 17. (68)
 ✓ No. 18. (75) Black Howler Monkey
 ✓ No. 19. (76)
 ✓ No. 20. (77)
 ✓ No. 21. (78)
 ✓ No. 22. (79)
 ✓ No. 23. (81) Night Walker
 ✓ No. 24. (82) Night walker
 ✓ No. 25. (83)
 ✓ No. 26. (84)
 ✓ No. 27. (85)
 ✓ No. 28. (87)
 ✓ No. 29. (88)
 ✓ No. 30. (89)
 No. 31. (90)
 No. 32. (92)
 No. 33. (93)
 No. 34. (94)
 No. 35. (95)
 No. 36. (96)
 No. 37. (97)

11 27 28
20 21
22 23
24 25
26 27
28 29
30 31

1 2 3 4 5 6 7 8 9 10
11 12 13 14 15 16 17 18 19 20
21 22 23 24 25 26 27 28 29 30
31 32 33 34 35 36 37 38 39 40
41 42 43 44 45 46 47 48 49 50
51 52 53 54 55 56 57 58 59 60
61 62 63 64 65 66 67 68 69 70
71 72 73 74 75 76 77 78 79 80
81 82 83 84 85 86 87 88 89 90
91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110
111 112 113 114 115 116 117 118 119 120
121 122 123 124 125 126 127 128 129 130
131 132 133 134 135 136 137 138 139 140
141 142 143 144 145 146 147 148 149 150
151 152 153 154 155 156 157 158 159 160
161 162 163 164 165 166 167 168 169 170
171 172 173 174 175 176 177 178 179 180
181 182 183 184 185 186 187 188 189 190
191 192 193 194 195 196 197 198 199 200

①

1386 Otomys, Nico Smith Farm,

1387 Dormouse

1388 "

1389 "

1390 Shrew

1391 Long tailed Mouse

1392 "

1393 Fat mouse

1394 Otomys

① 1395 Shrew 2 embryos in alcohol

① 1396 ~~Gerbit~~ ? Pouched Mouse (ear damaged in trap)

① 1397 Dormouse

1398 Mouse ?

1399 Long tailed Mouse

1400 Otomys

- 1401 " (well dev. embryos in alcohol)

1402 Shrew Nico Smith Farm

① 1403 (Mouse ?) Long tailed Mouse

1404 Golden Mole

1405 Mouse (Fat ?)

1406 Long tailed

1407 " "

1408 Otomys

① 1409 "

1410 Puff Adder

1411 Green Snake

✓ 1412 Snake ?

① 1413 ~~Snake~~ Shrew

1414 Shrew

1415 Shrew

S.C. 1416 Long tailed rat

S.C. 1417 "

1418 Mouse (fat)

1419 Pouched Pocket Mouse ?

S.C. 1420 Otomys

S.C. 1421 "

1422 "

1423 Golden Mole Bully Farm 18 W.P.E. 110-0-15

172-82-18

160-72-17

170-73-18

112-38-12

305-179-27

263-135-27

173-84-20

195-83-30

115-42-14

126-37-18

172-79-19

279-179-24

303-174-30

211-88-28

222-58-29

113-38-14

266-166-23

112-0-14

201-100-23

291-179-30

284-175-29

218-88-30

277-106-30

132-50-13

" Skeleton

" "

" "

" "

" "

" "

" "

" "

" "

16

OT 176-70-27

Aug. 11, 1948

OT ~~176-70-27~~

caught on wealie meal in rain forest Aug 13, 1948

OT

"

"

OT

"

"

OT

Caught in low bush

"

OT

" in rain forest

"

OT

part of tail missing

"

OT

"

OT

"

OT

4 muzzles by bridge

"

OT

by open field (young)

"

OT

in rain forest

"

OT

in rain forest

"

OT

in rain forest

"

OT

near creek, grassy bank

"

OT

half tail missing

"

OT

Aug. 13, 1948

OT

In thick rain forest

"

OT

on hill (open field land)

"

OT

in rain forest

"

OT

rain forest

"

OT

"

OT

meadow

"

OT

"

"

OT

Aug 15, 1948

OT

"

OT

"

OT

"

OT

"

OT

"

OT

"

OT

"

OT

"

OT

"

1st muzzles - 1st muzzles - 1st muzzles

NO. 38 (98)

NO. 39 Bat - Building in La Libertad, April 26, 1946, ♀

NO. 40 Bat - " " " " " "

NO. 41 Bat - " " " " " "

NO. 42 Bat - " " " " " "

NO. 43 Bat - " " " " " "

NO. 44 Bat - " " " " " "

NO. 45 Bat - " " " " " "

NO. 46 Bat - " " " " " ♂

NO. 47 Mouse - " " April 27, 1946 ♂

NO. 48 - Fox - In Savannah 8 miles ^{South} ~~North~~ La Libertad, April 27, ♂

NO. 49 - Deer - In Savannah 5 miles South La Libertad, April 27 ♀

NO. 50 Monkey - In hills and Jungle 9 miles South La Libertad, April 28 ♀

NO. 51 Monkey " " " " April 28 ♂

NO. 52 Monkey " " " " April 28 ♀

NO. 53 Monkey " " " " April 28 ♂

NO. 54 Monkey " " " " April 28 ♀

NO. 55 Deer, (Fawn), In Savannah 7 miles South La Libertad, April 30 ♀

NO. 56 Deer, (Fawn) In Savannah 7 miles South La Libertad, April 30 ♂

NO. 57 Deer, (Fawn) In Savannah, 6 miles " " April 30 ♂

NO. 58 Fox, In Savannah 3 miles South La Libertad April 30 ♂

NO. 59 Fox, In Savannah 2 miles South La Libertad April 30 ♂

NO. 60 Fox, In Savannah 3 miles South La Libertad April 30 ♂

NO. 61 Fox, In Savannah 2 miles South La Libertad April 30 ♂

NO. 62 Monkey, Near Milpas 2 miles South, La Libertad, May 1, ♂

NO. 63 Fox, In Savannah 2 miles South La Libertad, May 1 ♂

NO. 64 Fox, In Savannah 2 miles South La Libertad May 1 ♂

NO. 65 Fox, In Savannah 4 miles South La Libertad May 2 ♂

NO. 66 squirrel (Young) in wood 1/2 mile west La Libertad May 2 ♂

NO. 67 Mouse, in field in La Libertad, May 2, ♂

NO. 68 mouse, in La Libertad, May 2, ♂

NO. 69 Mouse " " May 2 ♀

NO. 70 Mouse " " May 2 ♀

NO. 71 mouse " " May 2 ♂

NO. 72 Mouse " " May 2 ♀

NO. 73 Mouse " " May 2 ♀

NO. 74 mouse " " May 2 ♂

TL 92^{mm} T 33^{mm} F 9^{mm} WS 305^{mm}
TL 100^{mm} T 37^{mm} F 9^{mm} WS 269^{mm}
TL 96^{mm} T 39^{mm} F 9^{mm} WS 294^{mm}
TL 95^{mm} T 36^{mm} F 8^{mm} WS 267^{mm}
TL 96^{mm} T 38^{mm} F 7^{mm} WS 270^{mm}
TL 98^{mm} T 41^{mm} F 8^{mm} WS 255^{mm}
TL 94^{mm} T 35^{mm} F 8^{mm} WS 264^{mm}
TL 99^{mm} T 39^{mm} F 9^{mm} WS 304^{mm}
TL 149^{mm} T 90^{mm} F 18^{mm}
TL 750^{mm} T 303^{mm} F 35^{mm}
TL 1351 T 190^{mm} F 56^{mm}
TL 1143 T 611^{mm} F 133^{mm}
TL 1315^{mm} T 685^{mm} F 150^{mm} weight 23 lbs
TL 962^{mm} T 553^{mm} F 121^{mm} weight 6 1/2 lbs
TL 914^{mm} T 547^{mm} F 105^{mm} w 5 lbs
TL ~~1179~~ 1179^{mm} T 638^{mm} F 146^{mm} w 17 lbs
TL 891^{mm} T 143^{mm} F 43^{mm}
TL 840^{mm} T 125^{mm} F 40^{mm}
TL 974^{mm} T 117^{mm} F 46^{mm}
TL 754^{mm} T 286^{mm} F 41^{mm}
TL 825^{mm} T 316^{mm} F 49^{mm}
TL 733 T 302^{mm} F 38^{mm}
TL 800^{mm} T 303^{mm} F 45^{mm}
TL 1027^{mm} T 560^{mm} F 131^{mm}
TL 754^{mm} T 304^{mm} F 35^{mm}
TL 732^{mm} T 280^{mm} F 42^{mm}
TL 809^{mm} T 323^{mm} F 42^{mm}
TL 244^{mm} T 117^{mm} F 43^{mm}
TL 253^{mm} T 123^{mm} F 32^{mm}
TL 171^{mm} T 73^{mm} F 26^{mm}
TL 172^{mm} T 55^{mm} F 28^{mm} half of tail missing in trap.
TL 195^{mm} T 90^{mm} F 29^{mm}
TL 233^{mm} T 94^{mm} F 29^{mm} testis greatly enlarged
TL 179^{mm} T 52^{mm} F 30^{mm} Tail cut off in trap.
TL 157^{mm} T 71^{mm} F 26^{mm}
TL 172^{mm} T 74^{mm} F 28^{mm}

| | | | |
|------|-------------------------------|----------------------------|---------------------------|
| 1424 | Golden Mole | Beckley farm | 15 mi. P.E. 110-0-16 |
| 1425 | Otomy S | Nico Smith Farm | 280-110-30 |
| 1426 | Pole Cat | " | 582-298-63 |
| 1427 | long tailed rat | " | 308-187-28 |
| 1428 | " | " | 294-173-29 |
| 1429 | mouse ? | " | 282-178-24 |
| 1430 | mouse (fat?) | " | 191-92-22 |
| 1431 | mouse ? | " | 175-82-22 |
| 1432 | " ? | " | 163-74-21 |
| 1433 | mouse (fat?) | " fat | skull only |
| 1434 | " | " | " |
| 1435 | " | " | " |
| 1436 | " | " | " |
| 1437 | " | " | " |
| 1438 | " | " | " |
| 1439 | " | " | " |
| 1440 | " | " | " |
| 1441 | Golden Mole | Beckly Farm | 112-0-16 |
| 1442 | Mole rat | Nico Smith Farm | in Alcohol |
| 1443 | Shrew | " | 113-38-13 |
| 1444 | mouse ? (Chestnut tree mouse) | " | 158-95-20 |
| 1445 | Lesser grey Mongoosie | " | 578-252- 17 69 |
| 1446 | " | " | 640-284-71 |
| 1447 | Frog | in creek (Nico Smith Farm) | in Alcohol |
| 1448 | " | " | " |
| 1449 | " | " | " |
| 1450 | " | " | " |
| 1451 | " | " | " |
| 1452 | " | " | " |
| 1453 | " | " | " |
| 1454 | " | " | " |
| 1455 | " | " | " |
| 1456 | " | " | " |
| 1457 | " | " | " |
| 1458 | " | " | " |
| 1459 | " | " | " |
| 1460 | " | " | " |

♂
♂
♂
♀
♂
♂
♂
♂
♂
♂

Caught in trap
in Iana forest

"
"

near native house
in native hut
"

Aug. 16
"
"
Aug 17
"
"
"
"
"

Aug 18, 1948
"
"
"
"
"
"

♂
♀
♂
♂
♂
♂

(with a prehensile tail)
Caught in trap by native
"

Aug 19
Aug 20, 1948
"
Aug 23, 1948
~~Aug 24, 1948~~
~~Sept 1, 1948~~
Aug 25, 1948
"
"
"
"
"
"
"
"
"
"
"

| | | | | |
|---------|--------------|---|--------------|---|
| NO. 75 | Squirrel | shot in woods 1 mile west of La Libertad, | May 3, 1946 | ♀ |
| NO. 76 | Fox | In Savannah 3 miles S.W. of La Libertad, | May 3, 1946 | ♂ |
| NO. 77 | Fox | In Savannah 1 mile North, La Libertad, | May 3, | ♂ |
| NO. 78 | Fox | In Savannah 2 miles North, La Libertad, | May 4 | ♀ |
| NO. 79 | Deer | " " " " " La Libertad, | May 5 | ♂ |
| NO. 80 | Deer | " " " " " " " | " | ♀ |
| NO. 81 | Deer (fawn) | " " " " " " " | " | ♀ |
| NO. 82 | Rat or mouse | In La Libertad | May 5, | ♂ |
| NO. 83 | Rat | " " " | May 5, | ♂ |
| NO. 84 | Rat | " " " | May 5, | ♀ |
| NO. 85 | Mouse | " " " | May 5, | ♀ |
| NO. 86 | Mouse | " " " | May 5, | ♂ |
| NO. 87 | Mouse | " " " | May 5, | ♀ |
| NO. 88 | Rat | " " " | May 5, | ♂ |
| NO. 89 | Mouse | " " " | May 5, | ♂ |
| NO. 90 | Rat | " " " | May 5, | ♀ |
| NO. 91 | Rat | " " " | May 5, | ♂ |
| NO. 92 | Mouse | " " " | May 5, | ♀ |
| NO. 93 | Rat | " " " | May 5, | ♂ |
| NO. 94 | Rat | " " " | May 5, | ♀ |
| NO. 95 | Mouse | " " " | May 5, | ♂ |
| NO. 96 | Mouse | " " " | May 5, | ♂ |
| NO. 97 | Mouse | " " " | May 5, | ♂ |
| NO. 98 | Mouse | " " " | May 6, | ♀ |
| NO. 99 | Mouse | " " " | May 6, | ♂ |
| NO. 100 | Bat | " " " | May 6, | ♂ |
| NO. 101 | Mouse | " " " | May 6, | ♂ |
| NO. 102 | Mouse | " " " | " | ♀ |
| NO. 103 | Mouse | " " " | " | " |
| NO. 104 | Mouse | " " " | " | " |
| NO. 105 | Mouse | " " " | " | " |
| NO. 106 | Bat | House in Flores | May 13, 1946 | ♂ |
| NO. 107 | Mouse | Lake Exhilxil | May 16, 1946 | ♂ |
| NO. 108 | Mouse | " " | May 16, 1946 | ♂ |
| NO. 109 | Mouse | " " | " | ♂ |
| NO. 110 | Bat | House in Flores, | May 20, 1946 | ♂ |
| NO. 111 | Bat | " " " | " | ♂ |

(22)

TL 479^{mm} T 224^{mm} HF 64^{mm} Left Right flank scratched with corn tur
TL 760^{mm} T 284^{mm} HF 41^{mm}
TL 785^{mm} T 299^{mm} HF 40^{mm}
TL 765^{mm} T 297^{mm} HF 40^{mm}
TL 1256^{mm} T 148^{mm} HF 54^{mm}
TL 1229^{mm} T 146^{mm} HF 56^{mm}
TL 935^{mm} T 143^{mm} HF 49^{mm} Skull badly damaged by shotgun shell.
TL 245^{mm} T 95^{mm} HF 28^{mm} Testes enlarged, skull damaged in trap.
TL 239^{mm} T 104^{mm} HF 30^{mm}
TL 246^{mm} T 101^{mm} HF 28^{mm}
TL 143^{mm} T 61^{mm} HF 25^{mm}
TL 145^{mm} T 66^{mm} HF 24^{mm}
TL 199^{mm} T 89^{mm} HF 29^{mm}
TL 218^{mm} T 99^{mm} HF 29^{mm} Skull damaged by trap.
TL 191^{mm} T 83^{mm} HF 26^{mm} testes greatly enlarged.
TL 186^{mm} T 45^{mm} HF 31^{mm} skull crushed by trap
TL 237^{mm} T 104^{mm} HF 36^{mm} Testes enlarged.
TL 163^{mm} T 73^{mm} HF 26^{mm} Hair of tail lost in trap
TL 210^{mm} T 77^{mm} HF 29^{mm} Testes enlarged
TL 225^{mm} T 98^{mm} HF 31^{mm}
TL 137^{mm} T 54^{mm} HF 23^{mm}
TL 213^{mm} T 107^{mm} HF 28^{mm} 38^{mm}
TL 167^{mm} T 73^{mm} HF 26^{mm}
TL 178^{mm} T 102^{mm} HF 19^{mm} Skull crushed in trap
TL 133^{mm} T 62^{mm} HF 22^{mm} Testes greatly enlarged
TL 60^{mm} T 35^{mm} HF 6^{mm} WS 235
TL 151^{mm} T 68^{mm} HF 26^{mm}
TL 124^{mm} T 55^{mm} HF 21^{mm}
TL T HF
TL T HF
TL T HF
TL 68^{mm} T 27^{mm} HF 8^{mm} WS 197^{mm}
TL 262^{mm} T 131^{mm} HF 29^{mm}
TL 246^{mm} T 119^{mm} HF 31^{mm}
TL 222^{mm} T 122^{mm} HF 31^{mm}
TL 92^{mm} T 41^{mm} HF 10^{mm} WS 250^{mm}
TL 92^{mm} T 38^{mm} HF 10^{mm} WS 253^{mm}

(3)

1461 Frog in alcohol

1462 " "

1463 " "

1464 legless lizard "

1465 lizard "

1466 Skink "

1467 " "

1468 " "

1469 " "

1470 " "

1471 " "

1472 " "

1473 " "

1474 " "

1475 " "

1476 " "

1477 " "

1478 " "

1479 " "

1480 " "

1481 " "

1482 " "

1483 Snake formalin

1484 " "

1485 Gekko "

1486 " "

1487 " "

1488 Skink "

1489 E. Shrew , in Koppie - Murray farm 264-141-36

1490 Gerbil 8 mi E. Pretoria 302-164-33

1491 " " 266-145-32

1492 Rock Mouse " 249-143-26

1493 " " 275-163-26

1494 Mouse (mult. mammary) " 168-76-21

1495 " (" ") " 188-85-20

1496 Otomys " 198-78-24

1497 Striped Mouse (Skull only)

1498 " " (")

| | | | | |
|---------|-------|-----------------------------|--|---|
| NO. 112 | Bat | House in Flores | May 20, 1946 | ♂ |
| NO. 113 | Bat | " " " | " | ♂ |
| NO. 114 | Bat | " " " | " | ♀ |
| NO. 115 | Bat | " " " | " | ♂ |
| NO. 116 | Bat | " " " | " | ♀ |
| NO. 117 | Bat | " " " | " | ♂ |
| NO. 118 | Bat | " " " | " | ♀ |
| NO. 119 | Bat | " " " | " | ♂ |
| NO. 120 | Bat | " " " | " | ♀ |
| NO. 121 | Bat | " " " | " | ♂ |
| NO. 122 | Bat | " " " | " | ♀ |
| NO. 123 | Bat | " " " | " | ♂ |
| NO. 124 | Mouse | along shore of Lake Peten | May 22, 1946 1/2 mile east of San Miguel | ♂ |
| NO. 125 | Mouse | " " " " " | May 23, 1946 | ♂ |
| NO. 126 | Mouse | " " " " " | May 23, 1946 | ♀ |
| NO. 127 | Mouse | " " " " " | May 23, 1946 | ♀ |
| NO. 128 | Mouse | " " " " " | May 24, 1946 | ♂ |
| NO. 129 | Mouse | " " " " " | " | ♂ |
| NO. 130 | Mouse | " " " " " | " | ♀ |
| NO. 131 | Mouse | " " " " " | " | ♂ |
| NO. 132 | Mouse | " " " " " | " | ♂ |
| NO. 133 | Bat | House in Flores | May 24, 1946 | ♀ |
| NO. 134 | Bat | " " " | " | ♀ |
| NO. 135 | Bat | " " " | " | ♀ |
| NO. 136 | Bat | " " " | " | ♀ |
| NO. 137 | Bat | " " " | " | |
| NO. 138 | mouse | from Village of La Libertad | May 3, 1946 | ♀ |
| NO. 139 | mouse | " " " | " | ♂ |
| NO. 140 | mouse | " " " | " | ♂ |
| NO. 141 | mouse | " " " | " | ♀ |
| NO. 142 | mouse | " " " | " | ♂ |
| NO. 143 | mouse | " " " | " | ♀ |
| NO. 144 | mouse | " " " | " | ♀ |
| NO. 145 | mouse | " " " | " | ♂ |
| NO. 146 | mouse | " " " | " | ♀ |
| NO. 147 | mouse | " " " | " | ♀ |
| NO. 148 | mouse | " " " | " | ♂ |
| NO. 149 | mouse | " " " | " | ♀ |
| NO. 150 | mouse | " " " | " | ♀ |

(26)

TL 96^{mm} T 39^{mm} HF 9^{mm} WS 251^{mm}

TL 98^{mm} T 40^{mm} HF 11^{mm} WS 280^{mm}

TL 93^{mm} T 37^{mm} HF 10^{mm} WS 261^{mm}

TL 104^{mm} T 43^{mm} HF 11^{mm} WS 275^{mm}

TL 96^{mm} T 42^{mm} HF 10^{mm} WS 266^{mm}

TL 93^{mm} T 38^{mm} HF 9^{mm} WS 255^{mm}

TL 51^{mm} T 5^{mm} HF 10^{mm} WS 225^{mm}

Alcoholic Specimen

TL 92^{mm} T 36^{mm} HF 10^{mm} WS 256^{mm}

Alcoholic Specimen

TL 98^{mm} T 39^{mm} HF 9^{mm} WS 269^{mm}

TL 93^{mm} T 41^{mm} HF 11^{mm} WS 262^{mm}

TL 89^{mm} T 37^{mm} HF 9^{mm} WS 232^{mm}

TL 93^{mm} T 40^{mm} HF 10^{mm} WS 256^{mm}

TL 223^{mm} T 126^{mm} HF 30^{mm}

Alcoholic Specimen
(has two large fly larva in skin)

TL 255^{mm} T 103^{mm} HF 28^{mm}

TL 230^{mm} T 118^{mm} HF 28^{mm}

Sore in skin on right side caused
by fly larva.

has ~~four~~ five fetus almost ready to be born.

TL 197^{mm} T 117^{mm}

HF 25^{mm}

had 3 fetus in early stage of development
nose and one foot damaged by ants.

TL 278^{mm} T 133^{mm} HF 30^{mm}

TL 159^{mm} T 83^{mm} HF 24^{mm}

TL 248^{mm} T 123^{mm} HF 28^{mm}

TL 177^{mm} T 91^{mm} HF 25^{mm}

TL 150^{mm} T 81^{mm} HF 24^{mm}

TL 96^{mm} T 38^{mm} HF 8^{mm} WS 295^{mm}

TL 99^{mm} T 41^{mm} HF 9^{mm} WS 290^{mm}

TL 96^{mm} T 36^{mm} HF 9^{mm} WS 291^{mm}

TL 93^{mm} T 36^{mm} HF 9^{mm} WS 290^{mm}

TL 99^{mm} T 37^{mm} HF 10^{mm} WS 289^{mm}

| | | |
|---------|-------------------------------------|--------------------------|
| 1411 | striped Mouse | Murray Farm (Skull only) |
| 1500 | Rock Mouse | " Skull damaged |
| 1501 | Rat | " |
| 1502 | " | " |
| 1503 | Rock Mouse | " |
| 1504 | " " | " |
| 1505 | " " | " |
| 1506 | Mouse (Multimammate?) | " |
| 1507 | Striped Mouse | " |
| 1508 | " | " |
| 1509 | " | " |
| 1510 | " | " |
| 1511 ✓ | Gerbil | " |
| 1512 ✓ | " | " |
| 1513 ✓ | " | " |
| 1514 ✓ | " | " |
| 1515 | Otomys | " |
| 1516 | " | " |
| 1517 | Striped Mouse | " |
| 1518 | Mouse (Mult, mammate) | " |
| 1519 | " (" ") | (Skull only) |
| 1520 | Rock Mouse Striped Mouse | " |
| 1521 | Aetomys | " |
| 1522 | " | " |
| 1523 | Multimammate | " |
| 1524 | " | " |
| 1525 | Striped Mouse | " |
| 1526 | " " | " |
| 1527 | " " | " |
| 1528 | Otomys | Skull only |
| 1529 | Aetomys | " |
| 1530 UC | " | " |
| 1531 | " | " |
| 1532 | " | " |
| 1533 | " | " |
| 1534 | " | " |
| 1535 | Striped | " |

Oct. 1, 1948

♂ 293-140-26

♂ 344-198-34

♀ 332-182-32

♂ 270-153-25

♂ 274-148-26

♂ 286-150-25

♂ 110-80-21

♂ 201-95-23

♂ 183-90-20

♂ 203-89-22

♀ 195-95-22

♂ 289-143-34

♀ 273-142-35

♀ 260-135-34

♀ 290-158-35

♂ 218-91-27

♀ 229-92-28

♀ 154-77-21

♂ 190-88-23

♀ 174-82-22

♂ ~~307-160-30~~ 182-90-22

♂ 278-154-26

♂ 259-142-25

♂ 194-85-23

♂ 164-83-22

♂ 185-92-22

♀ 159-67-21

♂ 193-94-21

♂ 197-76-26

♂ 215-153-26

♂ 272-161-28

♂ 270-154-26

♂ 285-167-27

♀ 242-110-28

♂ 307-161-29

♂ 139-35-28 24 half tail missing

ears rather long
testes enlarged

testes greatly enlarged

testes enlarged

testes enlarged

Oct 2, 1948

Oct. 3, 1948

Oct. 4, 1948

Oct. 5

| | | | | |
|-----|-------|---|--------------|---|
| 148 | Mouse | in village of La Libertad, May 3, 1946 | | ♀ |
| 149 | Mouse | " | " | ♂ |
| 150 | Mouse | " | " | ♂ |
| 151 | Mouse | " | " | ♀ |
| 152 | Mouse | " | " | ♀ |
| 153 | Mouse | " | " | ♀ |
| 154 | Mouse | " | " | ♀ |
| 155 | Mouse | " | " | ♂ |
| 156 | Mouse | " | " | ♀ |
| 157 | Bat | Cave (Jobintzinaj) 2 miles South Flores | May 25 | ♂ |
| 158 | Bat | Cave | " | ♀ |
| 159 | Bat | Cave | " | ♂ |
| 160 | Bat | Maya Temple, Uaxactun | June 1, 1946 | |
| 161 | Bat | Cave 2 miles South Flores | May 25 | ♀ |
| 162 | " | " | " | |
| 163 | " | " | " | |
| 164 | " | " | " | |
| 165 | " | " | " | |
| 166 | " | " | " | |
| 167 | " | " | " | |
| 168 | " | " | " | |
| 169 | " | " | " | |
| 170 | " | " | " | |
| 171 | " | " | " | |
| 172 | " | " | " | |
| 173 | " | " | " | |
| 174 | " | " | " | |
| 175 | " | " | " | |
| 176 | " | " | " | |
| 177 | " | " | " | |
| 178 | " | " | " | |
| 179 | " | " | " | |
| 180 | " | " | " | |
| 181 | " | " | " | |
| 182 | " | " | " | |
| 183 | " | " | " | |
| 184 | " | " | " | |

TL 95mm T 51mm HF 9mm WS 251mm found hanging from ceiling of cave. (Alcoholic)
TL 99mm T 25mm HF 13mm WS 366mm only but of this kind taken in cave. (Alcoholic)
TL 93mm T 28mm HF 10mm WS 359mm found in one room of cave in large numbers. (Alcoholic)

TL 94mm T ~~93~~ 27 HF 11 E 14 FA Measured from alcoholic specimen
no embryo

♂ 288-153-32

♂ 297-169-34

♀ 385-212-35

♂ 276-153-30

♂ 276-150-26

♂ 240-136-29

♂ 261-142-26

♀ 190-65-21

♂ 263-136-21

♂ 262-143-25

♂ 175-60-21

♀ 269-155-21

♂ 262-104-31

♂ 247-95-29

♂ 203-93-23

Skeleton

(in Alcohol)

♀ 218-83-27

♂ 244-92-31

♀ 216-82-26

♀ 252-130-27

♂ 280-160-26

♂ Skeleton

♂ "

♂ "

♂ "

♀ "

in formalin

half tail missing

half tail missing

Oct 6

"

"

Oct 6

"

"

"

"

"

"

"

"

Oct. 11, 1948

"

"

"

"

Oct. 12, 1948

"

"

"

"

Oct. 15, 1948

"

"

"

Nov. 1, 1948

10.15.13 ♂ Tom Larson,
Gladysvale Farm, 17 mi. NNE.
Krugersdorp, Transvaal,
S. Afr.

569 ♀ Tom Larson, Nov. 19, 1947
Osakango, Ovamboland
S.W. Afr.

676 ♀ Tom Larson, Dec. 24, 1947
Finkenstein Farm, 13 mi. E.
Windhoek, S.W. Afr.
196-102-29

P.J. Geldenhuys

No. 6435d

Sex ?

Skull only

K.M. 14714
Skull

| | | | | |
|-----|-----------------|----------------------------------|---------------|---|
| 185 | Bat | Cave 2 miles South of Flores | May 25, 1946 | |
| 186 | " | " | " | |
| 187 | " | " | " | |
| 188 | " | " | " | |
| 189 | " | " | " | |
| 190 | " | " | " | |
| 191 | " | " | " | |
| 192 | " | " | " | |
| 193 | " | " | " | |
| 194 | " | " | " | |
| 195 | " | " | " | |
| 196 | " | " | " | |
| 197 | " | " | " | |
| 198 | " | " | " | |
| 199 | " | " | " | |
| 200 | " | " | " | |
| 201 | " | " | " | |
| 202 | " | " | " | |
| 203 | Bat | House in Coban, Guatemala | June 21, 1946 | ♂ |
| 204 | Bat | " | " | ♂ |
| 205 | Bat | " | " | ♂ |
| 206 | Bat | " | " | ♂ |
| 207 | Bat | Cathedral in Coban | " | ♂ |
| 208 | Mouse | House in Coban | " | ♂ |
| 209 | Bat | Cave near Finca Chimax Coban | June 22 | ♂ |
| 210 | Mouse | " " " " | " | ♂ |
| 211 | Mouse | River bank 1 mile N. Coban | June 23 | ♂ |
| 212 | Mouse | River bank 1 mile N. Coban | " | ♂ |
| 213 | Rat | House in Coban | June 23 | ♂ |
| 214 | Bat | " " " | June 23 | ♂ |
| 215 | Mouse | " " " | June 23 | ♂ |
| 216 | Lesser Anteater | Locandone, Peten near Usumacinta | June 28 | ♂ |
| 217 | Bat | San Andres, Peten | July 3 | ♂ |
| 218 | Mouse | Shore Lake Peten, San Andres | July 3 | ♂ |
| 219 | Bat | San Andres | July 5 | ♂ |
| 220 | Bat | San Andres | July 5 | ♂ |
| 221 | Bat | San Andres | July 5 | ♂ |

University of California
Museum of Vertebrate Zoology

University of California
Museum of Vertebrate Zoology

P. f. Geldenhuyss

No. 6435d

Sex ?

Skull only

K.M. 14914
Skull

University of California
Museum of Vertebrate Zoology

TL T HF WS

TL T HF WS

TL T HF WS

TL T HF WS

TL 89mm T 43mm HF 9mm WS 282mm

TL 131mm T 74mm HF 16mm

TL 118mm T 52mm HF 10mm WS 337mm

TL 170mm T 85mm HF 12mm

TL 243mm T 131mm HF 27mm

TL 262mm T 143mm HF 30mm

TL 367mm T 204mm HF 33mm

TL 112mm T 48mm HF 12mm WS 358mm

TL 142mm T 75mm HF 15mm WS

TL 402mm T 213mm HF 37mm - long tongue for trapping ants.
prehensile tail,

TL 92mm T 37mm HF 8mm WS 304mm

TL 165mm T 54mm HF 27mm Tail damaged by trap and ant.

TL 96mm T 39mm HF 10mm WS 307mm

TL 96mm T 37mm HF 9mm WS 293mm

TL 93mm T 36mm HF 9mm WS 306mm

35

36

(37)

| | | | |
|-------|------------------------------------|---|---------------|
| 222 | Mouse | Lake Peten shore, San Jose, | July 15, 1946 |
| 223 | Mouse | " " | " " |
| 224 | Mouse | " " | " " |
| 225 | Mouse | " " | July 19, 1946 |
| 226 | Mouse | " " | July 20, 1946 |
| 227 | Mouse | " " | July 20, 1946 |
| 228 | Brush Rabbit | Wild Cat Canyon, El Cuervo, Cal. | |
| 229 | " | " " | " " |
| ✓ 230 | mole rat, | Golf Course Port Elizabeth, S. Africa | |
| ✓ 231 | Golden mole | " " | " " |
| ✓ 232 | " | " " | " " |
| ✓ 233 | " | " " | " " |
| ✓ 234 | " | " " | " " |
| ✓ 235 | Mole rat | " " | " " |
| 236 | " | " " | " " |
| ✓ 237 | Mole rat | " " | " " |
| ✓ 238 | " | " " | " " |
| 239 | " | " " | " " |
| 240 | " | " " | " " |
| 241 | " | " " | " " |
| 242 | " | " " | " " |
| 243 | " | " " | " " |
| 244 | Golden mole | " " | " " |
| 245 | " | " " | " " |
| 246 | " | " " | " " |
| 247 | (Blesmole)
white faced mole rat | " " | " " |
| 248 | Golden mole | " " | " " |
| 249 | mole rat | " " | " " |
| 250 | " | " " | " " |
| 251 | " | " " | " " |
| 252 | Bles mole | " " | " " |
| 253 | mole rat | " " | " " |
| 254 | " | " " | " " |
| 255 | " | " " | " " |
| 256 | " | " " | " " |
| 257 | Bat | Maitland Mine 20 miles west Port Elizabeth, | |

SEX

| | | | |
|---|----------------------|---------------------|---------------------|
| ♂ | TL 241 ^{mm} | T 132 ^{mm} | HF 28 ^{mm} |
| + | TL 220 ^{mm} | T 114 ^{mm} | HF 26 ^{mm} |
| + | TL 230 ^{mm} | T 93 ^{mm} | HF 28 ^{mm} |
| + | TL 229 ^{mm} | T 96 ^{mm} | HF 28 ^{mm} |
| ♂ | TL 230 ^{mm} | T 125 ^{mm} | HF 29 ^{mm} |
| + | TL 225 ^{mm} | T 107 ^{mm} | HF 27 ^{mm} |

(150 ft. elevation)

| | | | |
|---|---------------------------------|--------------|-------------------|
| ♂ | 109 / 8 / 23 ✓ | Aug 15, 1947 | |
| ♀ | 104 - 0 - 13 ✓ | " | |
| ♂ | 112 - 0 - 14 ✓ | " | |
| + | 114 - 0 - 15 ✓ | Aug 16, 1947 | Bodies in Alcohol |
| + | 103 - 0 - 13 | " | " |
| ♂ | 116 - 11 - 20 | " | Alcoholic |
| + | 105 - 12 - 22 | " | " |
| + | 136 - 20 - 22 | Aug 17 | |
| ♂ | 112 - 13 - 20 | " | |
| ♂ | 108 - 15 - 23 | " | 1 fetus (in) |
| ♀ | 120 - 16 - 20 | " | " |
| + | 118 - 11 - 20 | " | " |
| + | 113 - 13 - 21 | Aug. 18 | |
| + | 121 - 24 - 23 | " | 3 fetus (in) |
| ♂ | 120 - 0 - 17 | Aug. 19 | (Alcohol) |
| ♂ | 106 - 0 - 15 | " | " |
| ♂ | 117 - 0 - 15 | " | " |
| ♂ | 140 - 20 - 25 | " | " |
| + | 107 - 0 - 15 | " | with fetus |
| + | 120 - 15 - 20 | " | " |
| ♂ | 123 - 15 - 21 | " | " |
| ♂ | 137 - 17 - 23 | " | " |
| ♂ | 181 - 23 - 29 | " | Testes enlarged |
| ♀ | 106 - 12 - 19 | " | " |
| ♂ | 125 - 16 - 24 | " | " |
| + | 110 - 15 - 22 | " | 20 |
| + | 104 - 13 - 21 | " | " |
| ♂ | 105 - 53 - 11 308 ^{WS} | Aug. 21 | |

42

121

122

123

124

125

126

127

128

131

132

138

139

140

141

142

143

144

145

146

147

148

149

150

51

152

153

154

156

162

163

164

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

204

205

206

207

208

210

211

214

215

217

218

219

220

221

222

223

224

225

226

15 227 15

$\partial_{\bar{z}} \psi = 0$

mm

| | | | |
|-------|-----|------------------------------------|---|
| 258 | Bat | Maitland Mine, 20 mi W. Port Eliz. | |
| 259 | " | " | " |
| 260 | " | " | " |
| 261 | " | " | " |
| 262 | " | " | " |
| 263 | " | " | " |
| 264 | " | " | " |
| 265 | " | " | " |
| 266 ✓ | " | " | " |
| 267 ✓ | " | " | " |
| 268 ✓ | " | " | " |
| 269 ✓ | " | " | " |
| 270 ✓ | " | " | " |
| 271 ✓ | " | " | " |
| 272 ✓ | " | " | " |
| 273 ✓ | " | " | " |
| 274 ✓ | " | " | " |
| 275 ✓ | " | " | " |
| 276 ✓ | " | " | " |
| 277 ✓ | " | " | " |
| 278 ✓ | " | " | " |

| | | | |
|-------|-------------|---|----------------------------|
| 279 ✓ | " | Amangzi Ranch | |
| ✓280 | mouse | " | " |
| ✓281 | " | " | " |
| ✓282 | Spring Hare | " | " (Skull OK) |
| ✓283 | Hare | " | " (Skull OK) |
| ✓284 | Spring Hare | " | " (Skull OK) |
| ✓285 | " | " | " (Skull OK) |
| ✓286 | " | " | " (dog ran off with skull) |
| ✓287 | " | " | " Skull OK |
| ✓288 | " | " | " (dog ran off with skull) |
| ✓289 | Stomys Rat | Pickford farm, (along Swakops River) Port Elizabeth | |
| ✓290 | Fruit Bat, | Port Elizabeth | |
| ✓291 | " | " | " |
| ✓292 | " | " | " |
| ✓293 | Rat | Pickford farm / Perseverance station, 12 mi N. Port Elizabeth | |

many ticks on bats
and small spiders
that probably feed
on parasitic
insects.
and ticks

| | | | |
|---|---|----|---|
| ♂ | 101-49-10-310 | WS | X |
| ♂ | 101-48-11-307 | | X |
| ♂ | 100-47-11-295 | | X |
| ♂ | 98-47-11-286 | | X |
| ♀ | 94-34-14-350 | | X |
| ♂ | 90-31-15-340 | | X |
| ♀ | 82-30-12-345 | | X |
| ♂ | 94-34-13-333 | | X |
| ♀ | 110-52-11-328 | | |
| ♂ | 102-54-12-315 | | |
| ♀ | 109-53-11-310 | | |
| ♂ | 109-55-10-305 | | |
| ♀ | 107-54-11-300 | | |
| ♀ | 110-54-11-307 | | |
| ♂ | 103-54-11-308 | | |
| ♀ | 105-52-11-309 | | |
| ♂ | 99 ^{mm} -50 ^{mm} -11 ^{mm} -298 | | |
| ♂ | 98-48-10-300 | | |
| ♀ | 108-51-10-318 | | |
| ♀ | 104-51-11-307 | | |
| ♀ | 101-48-11-318 | | |

Aug. 21, 1947

1 fetus - early stage

| | | | |
|---|--------------|--|--|
| ♀ | 68-20-11-280 | | |
| ♂ | 210-102-21 | | |
| ♂ | 176-86-21 | | |
| ♀ | 890-220-155 | | |
| ♀ | 620-117-128 | | |
| ♀ | 800-401-162 | | |
| ♂ | 791-375-150 | | |
| ♂ | 802-372-151 | | |
| ♀ | 804-395-155 | | |
| ♂ | 836-415-152 | | |

Aug. 26

" 26

" "

" " (2 fetus)

" "

" "

" "

" "

" "

" "

252-103-32 (testes enlarged) Aug. 29, 1947

128 - ~~none~~ - 21 - 495 WS Aug. 29, 1947

129 - ~~11~~ - 29 - 511 " " "

119 " 22 - 523 " " "

245 - 104 - 30 (2 nipples on each side) Aug. 30, 1947

112 - 31 Tail damaged " " "

| | | | |
|-------|-------------------------------|--|------------------------------|
| ✓295 | Shrew - | Sand dune at Van Stender's River | 25 mi west of Port Elizabeth |
| ✓296 | Mouse | " | " |
| ✓297 | Bat | Maitland Mine, 2 mi W. Port Elizabeth | |
| ✓298 | " | " | " |
| ✓299 | " | " | " |
| ✓300 | " | " | " |
| 301 | " | " | " |
| 302 | fruit Bat | St. George's Park, Port Elizabeth | |
| 303 | Rat | Black Sweetkops River, 12 mi N. Port Eliz. | |
| 304 | Spring Hare | Pickford Farm, Rensselaers Junction | |
| 305 | " | " | " |
| 306 | " | " | " |
| 307 ✓ | Mouse | " | " |
| 308 ✓ | " | " | " |
| 309 ✓ | " | " | " |
| 310 ✓ | " | " | " |
| 311 | Bat (only skull saved) | " | " |
| 312 | " (Too shattered to save) | " | " |
| 313 | " | " | " |
| 314 | Hare (only skull saved) | " | " |
| 315 | Bat | Pickford farm | " |
| 316 ✓ | Mouse | " | " |
| 317 ✓ | Hare | " | " |
| 318 ✓ | Spring hare | " | " |
| 319 ✓ | " | " | " |
| 320 ✓ | Mouse (along Sweetkops River) | " | " |
| 321 ✓ | " | " | " |
| 322 ✓ | " | " | " |
| 323 ✓ | " | " | " |
| 324 ✓ | " | " | " |
| 325 ✓ | " | " | " |
| 326 ✓ | " | " | " |
| 327 ✓ | " | " | " |
| 328 ✓ | " | " | " |
| 329 ✓ | " | " | " |
| 330 ✓ | " | " | " |
| 331 ✓ | " | " | " |
| 332 ✓ | " | " | " |
| 333 ✓ | " | " | " |
| 334 ✓ | " | " | " |
| 335 ✓ | " | " | " |
| 336 ✓ | " | " | " |
| 337 ✓ | " | " | " |
| 338 ✓ | " | " | " |
| 339 ✓ | " | " | " |
| 340 ✓ | " | " | " |
| 341 ✓ | " | " | " |
| 342 ✓ | " | " | " |
| 343 ✓ | " | " | " |
| 344 ✓ | " | " | " |
| 345 ✓ | " | " | " |
| 346 ✓ | " | " | " |
| 347 ✓ | " | " | " |
| 348 ✓ | " | " | " |
| 349 ✓ | " | " | " |
| 350 ✓ | " | " | " |
| 351 ✓ | " | " | " |
| 352 ✓ | " | " | " |
| 353 ✓ | " | " | " |
| 354 ✓ | " | " | " |
| 355 ✓ | " | " | " |
| 356 ✓ | " | " | " |
| 357 ✓ | " | " | " |
| 358 ✓ | " | " | " |
| 359 ✓ | " | " | " |
| 360 ✓ | " | " | " |
| 361 ✓ | " | " | " |
| 362 ✓ | " | " | " |
| 363 ✓ | " | " | " |
| 364 ✓ | " | " | " |
| 365 ✓ | " | " | " |
| 366 ✓ | " | " | " |
| 367 ✓ | " | " | " |
| 368 ✓ | " | " | " |
| 369 ✓ | " | " | " |
| 370 ✓ | " | " | " |
| 371 ✓ | " | " | " |
| 372 ✓ | " | " | " |
| 373 ✓ | " | " | " |
| 374 ✓ | " | " | " |
| 375 ✓ | " | " | " |
| 376 ✓ | " | " | " |
| 377 ✓ | " | " | " |
| 378 ✓ | " | " | " |
| 379 ✓ | " | " | " |
| 380 ✓ | " | " | " |
| 381 ✓ | " | " | " |
| 382 ✓ | " | " | " |
| 383 ✓ | " | " | " |
| 384 ✓ | " | " | " |
| 385 ✓ | " | " | " |
| 386 ✓ | " | " | " |
| 387 ✓ | " | " | " |
| 388 ✓ | " | " | " |
| 389 ✓ | " | " | " |
| 390 ✓ | " | " | " |
| 391 ✓ | " | " | " |
| 392 ✓ | " | " | " |
| 393 ✓ | " | " | " |
| 394 ✓ | " | " | " |
| 395 ✓ | " | " | " |
| 396 ✓ | " | " | " |
| 397 ✓ | " | " | " |
| 398 ✓ | " | " | " |
| 399 ✓ | " | " | " |
| 400 ✓ | " | " | " |
| 401 ✓ | " | " | " |
| 402 ✓ | " | " | " |
| 403 ✓ | " | " | " |
| 404 ✓ | " | " | " |
| 405 ✓ | " | " | " |
| 406 ✓ | " | " | " |
| 407 ✓ | " | " | " |
| 408 ✓ | " | " | " |
| 409 ✓ | " | " | " |
| 410 ✓ | " | " | " |
| 411 ✓ | " | " | " |
| 412 ✓ | " | " | " |
| 413 ✓ | " | " | " |
| 414 ✓ | " | " | " |
| 415 ✓ | " | " | " |
| 416 ✓ | " | " | " |
| 417 ✓ | " | " | " |
| 418 ✓ | " | " | " |
| 419 ✓ | " | " | " |
| 420 ✓ | " | " | " |
| 421 ✓ | " | " | " |
| 422 ✓ | " | " | " |
| 423 ✓ | " | " | " |
| 424 ✓ | " | " | " |
| 425 ✓ | " | " | " |
| 426 ✓ | " | " | " |
| 427 ✓ | " | " | " |
| 428 ✓ | " | " | " |
| 429 ✓ | " | " | " |
| 430 ✓ | " | " | " |
| 431 ✓ | " | " | " |
| 432 ✓ | " | " | " |
| 433 ✓ | " | " | " |
| 434 ✓ | " | " | " |
| 435 ✓ | " | " | " |
| 436 ✓ | " | " | " |
| 437 ✓ | " | " | " |
| 438 ✓ | " | " | " |
| 439 ✓ | " | " | " |
| 440 ✓ | " | " | " |
| 441 ✓ | " | " | " |
| 442 ✓ | " | " | " |
| 443 ✓ | " | " | " |
| 444 ✓ | " | " | " |
| 445 ✓ | " | " | " |
| 446 ✓ | " | " | " |
| 447 ✓ | " | " | " |
| 448 ✓ | " | " | " |
| 449 ✓ | " | " | " |
| 450 ✓ | " | " | " |
| 451 ✓ | " | " | " |
| 452 ✓ | " | " | " |
| 453 ✓ | " | " | " |
| 454 ✓ | " | " | " |
| 455 ✓ | " | " | " |
| 456 ✓ | " | " | " |
| 457 ✓ | " | " | " |
| 458 ✓ | " | " | " |
| 459 ✓ | " | " | " |
| 460 ✓ | " | " | " |
| 461 ✓ | " | " | " |
| 462 ✓ | " | " | " |
| 463 ✓ | " | " | " |
| 464 ✓ | " | " | " |
| 465 ✓ | " | " | " |
| 466 ✓ | " | " | " |
| 467 ✓ | " | " | " |
| 468 ✓ | " | " | " |
| 469 ✓ | " | " | " |
| 470 ✓ | " | " | " |
| 471 ✓ | " | " | " |
| 472 ✓ | " | " | " |
| 473 ✓ | " | " | " |
| 474 ✓ | " | " | " |
| 475 ✓ | " | " | " |
| 476 ✓ | " | " | " |
| 477 ✓ | " | " | " |
| 478 ✓ | " | " | " |
| 479 ✓ | " | " | " |
| 480 ✓ | " | " | " |
| 481 ✓ | " | " | " |
| 482 ✓ | " | " | " |
| 483 ✓ | " | " | " |
| 484 ✓ | " | " | " |
| 485 ✓ | " | " | " |
| 486 ✓ | " | " | " |
| 487 ✓ | " | " | " |
| 488 ✓ | " | " | " |
| 489 ✓ | " | " | " |
| 490 ✓ | " | " | " |
| 491 ✓ | " | " | " |
| 492 ✓ | " | " | " |
| 493 ✓ | " | " | " |
| 494 ✓ | " | " | " |
| 495 ✓ | " | " | " |
| 496 ✓ | " | " | " |
| 497 ✓ | " | " | " |
| 498 ✓ | " | " | " |
| 499 ✓ | " | " | " |
| 500 ✓ | " | " | " |

| Sex | Specimen Number | Date | Notes |
|-------------|---------------------|-------------------|---|
| ♀ (3 fetas) | 135-52-17 | Aug. 31, 1947 | (15' above sea level) |
| ♂ | 308-182-27 | " " " | " " " |
| ♀ | 89-29-9 | Aug. 31, 1947 | -330 |
| ♀ | 95-31-11 | " " " | -350 |
| ♂ | 96-51-10 | " " " | -286 |
| ♀ | 110-54-11 | " " " | -301 |
| ♀ | 109-54-11 | " " " | -321 |
| ♂ | 134-0-22 | Aug Sept. 1, 1947 | -507 |
| ♀ | 282-100-32 | " " " | - |
| ♀ | Alcoholic Specimens | | Sept 23 |
| ♀ | " | " | " (with embryo) |
| ♀ | " | " | " (") |
| ♀ | 740-100-49 | " 2 | (skull on) only skull saved |
| ♂ | 168-90-23 | Sept. 7 | 1/5000 R. |
| ♂ | 178-94-23 | " | " |
| ♀ | 250-98-30 | " | (4 mammary glands full size) |
| ♂ | 220-80-30 | " | (but damaged in trap) |
| ♂ | 93-50-15 | " | (very young) |
| ♀ | 75-31-11 | " | wings flattened by shot, Sept 7, 1947 |
| ♀ | 75-22-11 | " | wings flattened |
| ♀ | 578-123-132 | Sept 7 | (Shot near P.E. by 1st) |
| ♀ | 68-21-11 | Sept. 9 | (very stretched) |
| ♀ | 186-90-24 | Sept. 10 | |
| ♂ | 555-126-112 | " | (only skull saved) |
| ♀ | 407-387-155 | " | (skull on) (only skull saved) |
| ♂ | 753-407-155 | " | (") (only skull saved) |
| ♂ | 210-112-26 | Sept. 10 | |
| ♂ | 237-116-32 | " | |
| ♂ | 223-94-31 | " | |
| ♀ | 228-85-28 | " | (2 embryos in formalin) |
| ♀ | 166-87-29 | Sept. | |
| ♂ | 240-102-31 | " | |
| ♂ | 129-48-23 | Sept. 1 | (very young) |
| ♀ | 186-66-30 | " | (immature) |
| ♂ | 113-72-26 | " 13 | |
| ♀ | 195-45-30 | " | (4 mammary glands well developed) Tail previously shortened |
| ♀ | Saved as skeletons | | |

| | | | | | |
|-----|-----------------|------------|-------------------|-----------|------------|
| 330 | Mouse | South side | foot of Table Mt. | 1000 ft. | Cape Town, |
| 331 | Mouse | " | " | " | " |
| 332 | Mouse (dwarf) | North side | " | 400 ft | " |
| 333 | Mouse | South side | " | 1000 ft | " |
| 334 | Mouse (striped) | North | " | 400 ft | " |
| 335 | Mouse | South side | " | 1000 ft | " |
| 336 | " | " | " | " | " |
| 337 | Striped mouse | Milnerton | 5 mi S.E. | Sea level | " |
| 338 | " | " | " | " | " |
| 339 | " | " | " | " | " |
| 340 | " | " | " | " | " |

| | | | | | |
|-----|-----------------|----------|-----------|-------------|-----------|
| 341 | Mouse | Garies | 1/2 " N. | Namagaland, | S. Africa |
| 342 | " | " | " | " | " |
| 343 | " | " | " | " | " |
| 344 | " | " | " | " | " |
| 345 | " | " | " | " | " |
| 346 | " | " | " | " | " |
| 347 | " | " | " | " | " |
| 348 | Striped polecat | Garies | in town | " | " |
| 349 | Striped mouse | " | " | " | " |
| 350 | " | " | " | " | " |
| 351 | " | " | " | " | " |
| 352 | Bat | house in | Garies | " | " |
| 353 | " | " | " | " | " |
| 354 | " | " | " | " | " |
| 355 | " | " | " | " | " |
| 356 | mouse | " | " | " | " |
| 357 | " | " | " | " | " |
| 358 | Rat (M) | Otomys | 3/4 mi W. | Garies | " |
| 359 | Rat (M) | Otomys | 1/4 mi W. | Garies | " |
| 360 | Lizard | 1 mi W. | Garies | " | " |
| 361 | " | " | " | " | " |
| 362 | " | " | " | " | " |
| 363 | " | " | " | " | " |
| 364 | " | " | " | " | " |
| 365 | " | " | " | " | " |
| 366 | " | " | " | " | " |

[illegible]

| | | | | |
|-----|-------------------------|--|-----|-----|
| 367 | Lizard | 1 mi. W. Garies, Namaqualand, South Africa | | |
| 368 | " " | " " | " " | " " |
| 369 | " " | " " | " " | " " |
| 370 | " " | " " | " " | " " |
| 371 | " " | " " | " " | " " |
| 372 | " " | " " | " " | " " |
| 373 | " " | " " | " " | " " |
| 375 | " " | " " | " " | " " |
| 376 | " " | " " | " " | " " |
| 377 | Elephant Shrew | $\frac{3}{4}$ mi W. Garies | | |
| 378 | " " | $\frac{1}{2}$ " " " | " " | " " |
| 379 | Rat (Otomys colonial) | $\frac{1}{2}$ " " " | " " | " " |
| 380 | " " | " " " | " " | " " |
| 381 | " " | " " " | " " | " " |
| 382 | " " | 1 mi " " | " " | " " |
| 383 | Elephant Shrew | 1 mi " " | " " | " " |
| 384 | Veldt Otomys (colonial) | " " " | " " | " " |
| 385 | Veldt Otomys | " " " | " " | " " |
| 386 | " " | " " " | " " | " " |
| 387 | Lizard | $1\frac{1}{2}$ W. | " " | " " |
| 388 | " " | " " " | " " | " " |
| 389 | " " | 2 mi. N. | " " | " " |
| 390 | " " | " " " | " " | " " |
| 391 | " " | " " " | " " | " " |
| 392 | Frog - (Xenopus laevis) | Port Elizabeth | " " | " " |
| 393 | " " | " " | " " | " " |
| 394 | " " | " " | " " | " " |
| 395 | " " | " " | " " | " " |
| 396 | " " | " " | " " | " " |
| 397 | " " | " " | " " | " " |
| 398 | " " | " " | " " | " " |
| 399 | Toad | Garies, Namaqualand | | |
| 400 | " " | " " | " " | " " |
| 401 | " " | " " | " " | " " |
| 402 | " " | " " | " " | " " |
| 403 | " " | " " | " " | " " |
| 404 | " " | " " | " " | " " |

| | | | | | |
|-----|-----------------------------|-------------------------------------|--------------------------|--------------|---|
| 405 | Toad | Garies | Namagaland | South Africa | |
| 406 | " | " | " | " | |
| 407 | " | " | " | " | |
| 408 | Rock Dassie | 1 1/2 mi. E. Garies | " | " | ♂ |
| 409 | Rat (?) ^{dassie} | 1/2 mi. W. | " | " | ♂ |
| 410 | Rock Dassie | 1 mi. W. | " | " | ♂ |
| 411 | Rat ^{dassie} (?) | 1 mi. E. | " | " | ♂ |
| 412 | Mongoose (?) | 3 mi. S. | " | " | ♀ |
| 413 | Rat (Dassie Rat?) | 1/2 mi. W. | " | " | ♀ |
| 414 | Lizard | 1/4 mi. E. | " | " | |
| 415 | " | " | " | " | |
| 416 | " | " | " | " | |
| 417 | " | " | " | " | |
| 418 | " | " | " | " | |
| 419 | " | " | " | " | |
| 420 | Snake | " | " | " | |
| 421 | Small turtle | " | " | " | |
| 422 | striped mouse | Garies | " | " | ♀ |
| 423 | Puff Adder Snake | " | " | " | |
| 424 | Lizard | 1 mi. W. | " | " | |
| 425 | Striped Polecat skull | 1 mi. W. Garies | " | " | |
| 426 | Hare | 2 mi. N. Garies | " | " | ♀ |
| 427 | Hare | " | " | " | ♂ |
| 428 | Turtle | Garies | " | " | |
| 429 | " | " | " | " | |
| 430 | " | " | " | " | |
| 431 | Salamander | " | " | " | |
| 432 | Rock Elephant Shrew, | 1/2 mi. W. Garies | (Elephantulus rufescens) | " | ♀ |
| 433 | Lizard (new species) | 1/2 mi | " | " | |
| 434 | turtle Lizard | 12 mi. S. Amaruru (Brown Farm) | " | " | |
| 435 | Iguana | Leguan | " | " | |
| 436 | Mouse (in Rocks) | " | " | " | ♂ |
| 437 | Jackal | Skull | " | " | |
| 438 | Lizard | Kgo Kgoeld, 30 mi N. Brandberg Mt., | S.W. Africa | " | |
| 439 | Lizard | " | " | " | |
| 440 | gecko | " | " | " | |
| 441 | gecko | " | " | " | |

in formalin

Oct. 1, 1947

"

"

"

"

190-0-35 (about 1 or 2 mos old)

"

159-0-37 (no tail)

"

433-0-62 Adult

"

175-0-34 (no tail) skeleton only

" (2 embryo saved in Alcohol)

637-313-64

no embryo

Oct. 2, 1947

315-145-36 (3 embryo) (skin to delicate to save)

"

"

in formalin

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

277-117-26 (6 small embryo)

"

"

in formalin

"

"

"

"

"

"

"

548-115-128

Oct. 4, 1947

533-112-123

"

"

in formalin

"

"

"

"

"

"

"

"

"

"

284-158-37 tongue very long (alcoholic specimen) (2 well dev embryos)

Oct. 7

"

in formalin

"

"

"

"

South West Africa

Oct 15

"

"

"

"

"

226-137-24 (4 mammary glands)

Oct. 16, 1947

"

"

"

Oct. 20,

"

"

"

"

"

"

"

| | | | | |
|-----|---------------------------------------|---|-----------|---|
| 442 | GeKKo - | Kaokaveld, 30 mi. N. Brandburg Mt. | S.W. Afr. | |
| 443 | SKink | " " | " | " |
| 444 | " | " " | " | " |
| 445 | " | " " | " | " |
| 446 | " | Kamanjab | S.W. Afr. | |
| 447 | Lizard | " | " | |
| 448 | " | " | " | |
| 449 | " | " | " | |
| 450 | " | " | " | |
| 451 | " | " | " | |
| 452 | " | " | " | |
| 453 | Snake | ^{Oshikongo} Oshikongo, Angola Border | " | |
| 454 | SKink
Lizard | " " | " | |
| 455 | Hyena Skull | Kamanjab, | " | |
| 456 | Lizard | Oshikongo, Angola Border | " | |
| 457 | Spring buck Skull | | | |
| 458 | Mouse | Oshikongo, Angola Border | " | ♂ |
| 459 | Snake | " " | " | |
| 460 | Mouse | " " | " | ♂ |
| 461 | Snake | " " | " | |
| 462 | GeKKo | " " | " | |
| 463 | GeKKo | " " | " | |
| 464 | Lizard SKink | " " | " | |
| 465 | Lizard SKink | " " | " | |
| 466 | Lizard | " " | " | |
| 467 | Lizard | " " | " | |
| 468 | Lizard | " " | " | |
| 469 | mouse | " " | " | ♂ |
| 470 | mouse (Skull only) | " " | " | o |
| 471 | " (Skull only) | " " | " | + |
| 472 | Lizard | " " | " | + |
| 473 | SKink | " " | " | |
| 474 | " | " " | " | |
| 475 | " | " " | " | |
| 476 | " | " " | " | |
| 477 | " | " " | " | |
| 478 | " | " " | " | |

Oct. 20, 1947

"

"

"

Oct. 23, 1947

"

"

"

"

"

"

Nov. 1, 1947

"

Oct. 23, 1947

Nov. 1, 1947

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

168-93-25

213
~~207~~-106-23

189-81-24

209-125-25

184-110-25

| No. | Species | Locality | Sex | Age | Notes |
|-------|------------------|---------------------|-----|--------|-------|
| 479 | Lizard | OsaKango | ♂ | Adult | |
| 480 | Cobra (spitting) | " | ♂ | Adult | |
| 481 | Camelion | " | ♂ | Adult | |
| 482 | Mouse | " | ♂ | Adult | |
| 483 | " | " | ♂ | Adult | |
| 484 | Gekko | " | ♂ | Adult | |
| 485 | Gekko | " | ♂ | Adult | |
| 486 | Lizard | " | ♂ | Adult | |
| 487 | Lizard | " | ♂ | Adult | |
| 488 | Camelion | " | ♂ | Adult | |
| 489 | SKINK | " | ♂ | Adult | |
| 490 | SKINK | " | ♂ | Adult | |
| 491 | Springbuck | Osankango | ♂ | Adult | |
| 492 | Springbuck | " | ♂ | Adult | |
| 493 ✓ | Springbuck | " | ♂ | Adult | |
| 494 | Springbuck | " | ♂ | Adult | |
| 495 | Mongoose | Osankango | ♂ | Adult | |
| 496 | Mongoose | Osankango | ♂ | Adult | |
| 497 | Springbuck | Small embryo of 494 | ♂ | Embryo | |
| 498 | Mouse | Osankango | ♂ | Adult | |
| 499 | Mongoose | Osankango | ♂ | Adult | |
| 500 | Lizard | " | ♂ | Adult | |
| 501 | " | " | ♂ | Adult | |
| 502 | " | " | ♂ | Adult | |
| 503 | " | " | ♂ | Adult | |
| 504 | " | " | ♂ | Adult | |
| 505 | " | " | ♂ | Adult | |
| 506 | " | " | ♂ | Adult | |
| 507 | " | " | ♂ | Adult | |
| 508 | " | " | ♂ | Adult | |
| 509 ✓ | " | " | ♂ | Adult | |
| 510 ✓ | " | " | ♂ | Adult | |
| 511 ✓ | " | " | ♂ | Adult | |
| 512 ✓ | " | " | ♂ | Adult | |
| 513 ✓ | " | " | ♂ | Adult | |
| 514 ✓ | " | " | ♂ | Adult | |
| 515 ✓ | " | " | ♂ | Adult | |
| 516 ✓ | " | " | ♂ | Adult | |

full of eggs

Nov. 1, 1947

Nov. 2, 1947

246-120-24 (7 well dev. embryos)

270-149-39

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

Nov 3

"

"

Nov. 8

"

"

Nov. 7

Nov. 7 to 8

1947

Nov. 12, 1947

Nov. 12, 1947

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

1347
53 - 200 - 75

1449
54 - 210 - 110

1317
51 1/4 - 175 - 110

1335
52 1/2 - 230 - 108

♀ 508 - 215 - 63

♂ 338 - 153 - 53

~~♂ 175 - 91 - 21~~

♀ 175 - 91 - 21

♂ 503 - 216 - 71

embryos well dev

embryos well dev

306
120
120
120

120
120
120

120
120
120

120
120
120

120
120
120

| | | | | |
|-----|---|------------|-------------------|----------------|
| 517 | ✓ | Lizard | OsaKango | Ovamboland |
| 518 | ✓ | " | " | " |
| 519 | ✓ | " | " | " |
| 520 | ✓ | GEKKO | " | " |
| 521 | ✓ | " | " | " |
| 522 | ✓ | " | " | " |
| 523 | ✓ | Snake | " | " |
| 524 | ✓ | " | " | " |
| 525 | ✓ | " | " | " |
| 526 | ✓ | " | " | " |
| 527 | ✓ | " | " | " |
| 528 | ✓ | " | " | " |
| 529 | ✓ | " | " | " |
| 530 | ✓ | " | " | " |
| 531 | ✓ | " | " | " |
| 532 | ✓ | " | " | " |
| 533 | ✓ | " | " | " |
| 534 | ✓ | " | " | " |
| 535 | ✓ | " | " | " |
| 536 | ✓ | " | " | " |
| 537 | ✓ | " | " | " |
| 538 | ✓ | " | " | " |
| 539 | ✓ | " | " | " |
| 540 | ✓ | " | " | " |
| 541 | ✓ | " | " | " |
| 542 | ✓ | " | " | " |
| 543 | ✓ | " | " | " |
| 544 | ✓ | " | " | " |
| 545 | ✓ | " | " | " |
| 546 | ✓ | " | " | " |
| 547 | ✓ | " | " | " |
| 548 | ✓ | " | " | " |
| 549 | ✓ | " | " | " |
| 550 | ✓ | " | " | " |
| 551 | ✓ | Snake | " | " |
| 552 | ✓ | " | " | " |
| 553 | | Lizard | " | " |
| 554 | | " | " | " |
| 555 | | GEKKO | " | " |
| 556 | | Hartbeest | 50 mi W. OsaKango | 5 Skull only |
| 557 | | Gerbil | OshiKango | " |
| 558 | | " | " | " |
| 559 | | Genet Cat | 5 mi S. OshiKango | " |
| 560 | | Springhare | " | " small embryo |
| 561 | | Hare | " | " |
| 562 | | mouse | OshiKango | " |
| 563 | | Bat | " | Attic of house |
| 564 | | " | " | " |

1942

44

114

11

44

44

11

24

14

4.

1

1

Page 1

74

2

1

1



Nov. 19, 1947

Nov. 16, 1947

262-143-36

♂ 261-125-36

10

877-417-79

10

♀ 773-403-147

11

521-64-109

66

0
+ 301-166-26

11

87 ~~105~~ ~~22~~ 95-52-11-251

Nov. 18, 1947

♂ 99-34-11 -279

| | | | | |
|----------------|--------|-----------|----------------------|---|
| 555 | Bat | Oshikango | Attic of house | |
| 556 | " | " | " | ♀ |
| 557 | " | " | " | ♂ |
| 558 | " | " | " | ♂ |
| 559 | " | " | " suckling young | ♀ |
| 560 | " | " infant | " (daughter of 559) | ♀ |
| 561 | " | " infant | " (offspring of 559) | ♂ |
| 562 | " | " | " | ♀ |
| 563 | " | " | " | ♀ |
| 564 | " | " | " | ♂ |
| 565 | " | " | " | ♂ |
| 566 | " | " | " alcoholic | ♂ |
| 567 | " | " | " | ♀ |
| 568 | " | " | " | ♂ |
| 569 | Gerbil | " | in field | ♀ |
| 570 | mouse | " | in Native Kraal | ♂ |
| 571 | " | " | " | ♀ |
| 572 | " | " | " | ♀ |
| 573 | " | " | " | ♀ |
| 574 | " | " | " | ♂ |

| | | | | |
|-----|--|---|---|--|
| 575 | Lung fish (Oshi) Oombo Cunene River Angola | | | |
| 576 | " | " | " | |
| 577 | " | " | " | |
| 578 | " | " | " | |

| | | | | |
|-------|--------|-----------|-----------|--|
| 579 ✓ | Snake | Oshikango | Oompoland | |
| 580 ✓ | Lizard | " | " | |
| 581 ✓ | " | " | " | |
| 582 ✓ | " | " | " | |
| 583 ✓ | " | " | " | |
| 584 ✓ | " | " | " | |
| 585 ✓ | SKink | " | " | |
| 586 ✓ | " | " | " | |

| | | | | |
|-----|-------------|-------------------|---|--|
| 587 | Spring hare | 5 mi S. Oshikango | " | |
| 588 | Snake | Oshikango | " | |

| | | | | |
|-----|---------------------------|--|---|--|
| 589 | Tree ^{Rat} Mouse | Finkenstein Farm, 15 mi E. Windhoek, S.W.-Afr. | | |
| 590 | Toad | " | " | |
| 591 | Toad | " | " | |
| 592 | Tree Mouse Rat | " | " | |

810
587
(321)

Nov. 18, 1947

104-53-12-279

"

108-54-12-285

"

103-52-12-284

"

103-53-12-280

"

79-40-11-229

"

75-41-11-235

"

115-58-12-273

"

96-51-12-272

"

98-52-12-289

"

91-51-12-296

"

alcoholic

"

"

"

"

"

253-144-39

Nov. 19, 1947

Skull only

"

"

"

"

"

Skull only

"

"

"

formalin

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

257-412-155

Skull only

"

"

254-143-26 (shot in tree at right)

Dec. 4, 1947

(on ground)

"

(" ")

"

260-136-26 (in trap) water hole

Dec. 5, 1947

| | | | |
|-----|--------------------------|--------------------------------------|----------------------|
| 593 | Mouse | Finkensteir Farm, 15 mi. E. Windhoek | |
| 594 | " | " | " |
| 595 | " | " | " |
| 596 | Jackal | " | " (only skull saved) |
| 597 | Mouse | " | " |
| 598 | " | " | " 15 mi. E. Windhoek |
| 599 | " | " | " |
| 600 | " | " | " |
| 601 | " | " | " |
| 602 | " | " | " |
| 603 | " | " | " |
| 604 | " | " | " |
| 605 | " | " | " |
| 606 | " | " | " |
| 607 | " | " | " |
| 608 | Vanate (ground squirrel) | " (tail enlarged) 13 mi. E. Windhoek | " |
| 609 | " | " | " |
| 610 | " | " | " |
| 611 | " | " | " |
| 612 | " | " | " |
| 613 | Elephant Shrew | " | " |
| 614 | Bat | Finkensteir Farm | " |
| 615 | Bat | " | " |
| 616 | hare (skull only) | 6 mi. E. Windhoek on road | " |
| 617 | mouse | 15 mi. E. Windhoek near camp | " |
| 618 | yellow mongoose | 14 mi. E. Windhoek | " |
| 619 | Baboon | 11 mi. E. " on road | " |
| 620 | bat | Finkensteir Farm | in shed |
| 621 | mouse (tree) Rat | " | Shot in tree |
| 622 | mouse (tree) Rat | " | " |
| 623 | hare | " | Shot |
| 624 | Amelican | " | caught by hand |
| 625 | gekko | " | " |
| 626 | Jackal | " | caught in trap |
| 627 | Bat | " | " |
| 628 | Dassie | " | Shot by 22 |
| 629 | Ground Squirrel | " | " |

| | | | |
|---|----------------------------|-----------------------------|------------------|
| ♂ | 236-135-31 | (shot on ground) | Dec. 5, 1947 |
| ♂ | 208 104-25 | trapped (tiptail gone) | Dec 7, 1947 |
| ♀ | 247-147-29 | " | " |
| ♂ | 950-293-56 | (shot by gunnery) | " |
| ♂ | 249-144-26 | (in trap in rocks) | " |
| ♀ | 82-31-7-241 | (head in shed) | " (small embryo) |
| ♀ | 76-33-7-238 | " | " |
| ♀ | 85-37-8-234 | " | " |
| ♀ | 84-36-8-243 | " | " |
| ♀ | 74-31-6-210 | " | " |
| ♀ | 83-33-8-238 | " | " |
| ♀ | 82-35-7-241 | " | " |
| ♀ | — — — 8-245 | skull found | " |
| ♀ | 65-23-7-186 | " | " |
| ♀ | 78-35-7-232 | " | " |
| ♂ | 450-207-69 | Caught in trap | Dec. 11, 1947 |
| ♀ | 424-213-62 | " | " |
| ♂ | 396-203-66 | " | " |
| ♀ | 465-230-68 | Shot | Dec. 12, 1947 |
| ♀ | 187-60-32 | (part of tail missing) | Dec. 11, 1947 |
| ♂ | 203 72-23-6-203 | (in shed) | " |
| ♀ | 70-21-6-201 | " | " |
| ♂ | 518-105-120 | (Shot by light) | " |
| | (Alcoholic specimen) | " | " |
| ♀ | 524-285-65 | shot by 22 | " |
| ♂ | 1270-539-211 | (shot by 22) | Dec. 12, 1947 |
| ♂ | 64-24-5-183 | " | " |
| ♀ | 236-130-25 | near camp | Dec. 12, 1947 |
| ♀ | 271-142-25 | near camp | " |
| ♀ | 566-85-122 | near camp | " |
| ♀ | 1013 296-48 | " | " |
| ♂ | 1013-296-48 | " | Dec. 13, 1947 |
| ♂ | 110-54-10-333 | in house | " |
| ♀ | 455 none 61 | (in rocks near ranch house) | Dec. 15, 1947 |
| ♀ | 432-201-67 | " | " |

| | | | |
|-------|--|---|------------------|
| 630 | Jackal, Gobabis Road, 6 mi. E. Windhoek | | |
| 631 | elephant shrew, Fickenstein farm (in trap) | | |
| 632 | mouse | " | " |
| 633 | mouse (skull only) | " | " |
| 634 | Jackal | " | " |
| 635 | lizard | " | (shot) by Ludwig |
| 636 | Dassie | " | (shot) by Ludwig |
| 637 | pale Elephant shrew | " | trapped |
| 638 | " | " | " |
| 639 | Jackal, AT Camp. | " | " |
| (640) | Gerbil in grassy brush | " | " |
| 641 | Striped mouse | " | " |
| 642 | " | " | " |
| 643 | " | " | " |
| 644 | " | " | " |
| 645 | " | " | " |
| 646 | " | " | " |
| 647 | " | " | " |
| 648 | " | " | " |
| 649 | " | " | " |
| 650 | " | " | " |
| 651 | " | " | " |
| 652 | " | " | " |
| 653 | " | " | " |
| 654 | " | " | " |
| 655 | " | " | " |
| 656 | " | " | " |
| 657 | " | " | " |
| 658 | " | " | " |
| 659 | Rock Mouse in rocks 15 mi. E. Windhoek | " | " |
| 660 | " | " | " |
| 661 | " | " | " |
| 662 | " | " | " |
| 663 | " | " | " |
| 664 | Lizard | " | " |
| (665) | pale Elephant shrew in bushes 13 mi. | " | " |
| 666 | lizard in rocks 15 mi. | " | " |
| 667 | Striped mouse in bushes 13 mi. | " | " |

| | | | |
|---|------------------------------------|--|---------------|
| ♂ | 944-309-55 | (Set by 21) | Dec. 15, 1947 |
| ♀ | 193-113-32 | (Nose ants) | Dec. 16, 1947 |
| ♂ | 261-160-25 | | " |
| ♀ | 226-134-24 | skin damaged by ants | " |
| ♀ | 995-295-53 | | " |
| ♀ | 452 — 58 | | " |
| ♂ | 233-124-34 | | Dec. 17, 1947 |
| ♀ | 207-107-32 | | " |
| ♀ | 950-291-51 | | " |
| ♀ | 273-147-32 | (5 embryos in Alcohol) | Dec. 18, 1947 |
| ♀ | 183-72-23 | (5 very small embryos) (part tail missing) | " |
| ♂ | 192-101-23 | testes enlarged | " |
| ♂ | 187-100-22 | " " | " |
| ♂ | 203-110-24 | " " | Dec. 19, 1947 |
| ♀ | 193-102-22 | | " |
| ♂ | 147-64-23 | " (part tail missing) | " |
| ♂ | 163-85-22 | | " |
| ♀ | 195-106-23 | | " |
| ♂ | 153-62-23 | testes enlarged | " |
| ♀ | | in Alcohol | " |
| ♂ | | " | " |
| ♂ | | " | " |
| | | Skull only | " |
| | | " | " |
| | | " | " |
| | | " | " |
| | | " | " |
| | | " | " |
| ♂ | 255-141-26 | | Dec. 23, 1947 |
| ♂ | 253-145-26 | | " |
| ♂ | 235-130-24 | | " |
| ♀ | | Skull only skin damaged | " |
| ♂ | | by ants | " |
| | lost - decayed too fast | | " |
| ♀ | 223-117-34 | (2 embryos in alcohol) | " |
| | lost - decayed | | " |
| ♂ | 203-101-25 | | " |

713
538
131

| | | | |
|-----|---|--|---|
| 668 | Striped mouse | 13 mi E. Windhoek | |
| 669 | " | " | " |
| 670 | Gerbil | " | " |
| 671 | " | " | " |
| 672 | " (Gerbil) | " | " |
| 673 | Rock mouse | " | " |
| 674 | Rock mouse | " | " |
| 675 | Striped mouse | " | " |
| 676 | " | " | " |
| 677 | Damara Ground Squirrel - Finkenstein Farm | 13 mi E. Windhoek | |
| 678 | Bat | " | " |
| 679 | Damara Ground Squirrel | " | " |
| 680 | Lizard | Wagner farm 38 mi W. | " |
| 681 | " | " | " |
| 682 | " | " | " |
| 683 | Dassie | " | " |
| 684 | Leguan | Finkenstein Farm 12 mi E | " |
| 685 | Gerbil | " 13 mi E | " |
| 686 | " | " | " |
| 687 | " | " | " |
| 688 | Striped mouse | " | " |
| 689 | " | " | " |
| 690 | " | " | " |
| 691 | " | " | " |
| 692 | " | " | " |
| 693 | Lizard | " 15 mi E | " |
| 694 | Dassie | (Skull only) Wagner farm 38 mi W. Windhoek | |
| 695 | " | " | " |
| 696 | mouse | 13 mi E. Windhoek, Fink farm | |
| 697 | Rock mouse | 15 mi E - in rock ledge | " |
| 698 | " | " | " |
| 699 | Striped mouse | 3 mi E. in brush in pasture | " |
| 700 | Lizard | Finkenstein Farm, 12 mi E. | " |
| 701 | " | " | " |
| 702 | " | " 15 mi E. | " |
| 703 | Jackal | " | " |
| 704 | Baboon | (Skull) only Finkenstein | |
| 705 | " | only skull saved | " |

| | | |
|---|--|---------------|
| ♂ | 193-95-23 | Dec. 24, |
| ♀ | 185-100-24 | " |
| ♂ | 251-118-33 (♂ testes enlarged) | Dec. 24, 1947 |
| ♂ | 250-131-32 | " |
| ♀ | 185-105-28 | " |
| ♀ | 165-75-25 (4 embryos - stage) | " |
| ♂ | 261-156-25 | |
| ♂ | 212-112-23 | |
| ♀ | 196-102-24 | |
| ♀ | 465-225-64 | Dec. 25, 1947 |
| ♀ | 112-47-11 - 322 | " |
| ♀ | 450-213-66 (skull eaten by dog) | " |
| | | Dec. 26, 1947 |
| | | " |
| | | " |
| | | " |
| | lost- decayed | " |
| ♂ | 220-127-31 | Dec. 30, 1947 |
| ♀ | 226-126-32 | " |
| ♂ | 215-115-31 | " |
| ♀ | 206-115-25 | " |
| ♀ | 199-106-23 | " |
| ♀ | 209-105-22 (5 well developed embryos in alcohol) | " |
| ♂ | 197-97-23 | " |
| ♀ | _____ young (Alcoholic) | " |
| | | " |
| | young (in rock ledge) | Dec. 26, 1947 |
| | " | " |
| ♀ | 163-74-23 | Dec. 31, 1947 |
| ♂ | 253-146-26 | Jan. 3, 1948 |
| ♂ | 251-148-26 | " |
| ♂ | 195-105-23 | " |
| | | " |
| | | " |
| | | " |
| ♂ | only skull saved | Jan. 3, 1948 |
| | | Jan. 4, 1948 |
| ♂ | 1311-538-220 | " |

| | | | |
|-------|--|--|----------------|
| | Elephant Shrew | 12 mls. E. Windhoek in bush Ludwig (22) | |
| 707 | Bat | Cave 47 miles E - Gaborab's Road, Hohewarte farm
Caught by hand. | |
| 708 | Damara-Ground Squirrel | 25 mls. E. Windhoek Hohewarte Farm | |
| 709 | Bat | Cave, 47 miles - E - Windhoek, Hohewarte Farm | |
| 710 | " | " | " |
| 711 | " | " | " |
| 712 | " | " | " |
| ✓ 713 | " | " | " |
| 714 | " | " | " |
| 715 | " | " | " |
| 716 | " | " | " |
| 717 | " | " | " |
| 718 | " | " | " |
| 719 | " | " | " |
| 720 | " | " | " |
| 721 | " | " | " |
| 722 | " | " | " |
| 723 | " | " | " |
| 724 | " | " | " |
| 725 | " | " | " |
| 726 | " | " | " |
| 727 | " | " | " |
| 728 | " | " | " |
| 729 | " | " | " |
| 730 | " | " | " |
| 731 | Red Rock mountain Mountain Hare | 7000ft. mts - 16 mi E. | " |
| 732 | Meerkat | 25 miles E. Windhoek, Farm Diana | |
| 733 | Ground Squirrel | " | " |
| 734 | Delalandes Fox | Omatoka Flat - 90 mi N. Windhoek | |
| 735 | Wild Boar | " | " |
| 736 | Spring Buck | " | " |
| 737 | " | " | " |
| 738 | Cat Cat (Skull only) | (Grey wild Cat) | " |
| 739 | AARD Wolf | " | " |
| 740 | Fox (Jackal) (Skull only) | " | " female adult |
| 741 | AARD Wolf | (" ") | " (Young) |
| 742 | Mongoose | by dam in trap, Finkenstein farm 12 mi E. Windhoek | |
| 743 | Gekko | 15 mi E - | " |
| 744 | Wart Hog | " | " |
| 745 | Tree Rat | " | " |
| 746 | Mongoose | by dam in trap | " 12 mi E. |

♀ 225-110-33
91-50-10-317

Jan. 4, 1948 - 707

♂ 410-183-60 known shot with 12 RIFLE.
♀ 112-55-12-320 (6000 ft elevation)

♀ 109-57-11-326
♂ 97-55-11-280

♂ 96-54-11-281
♀ 95-52-11-320

♀ 100-55-11-311
♂ 89-48-10-292

♀ 95-53-11-310
♀ 92-49-11-308

♂ 90-49-11-310
♂ 85-48-11-280

♀ 92-52-12-309
♂

(Alcoholic specimen)

♂ 92-28-12-338
♂ 91-30-12-360

♀ 91-30-12-363
♀

(Alcoholic specimen)

♂ 96-33-12-368

♂ 93-31-12-379

♂ 95-32-12-384

♀ 95-35-12-376

♀ 91-31-12-382

♀ 525-130-110

♂ 458-188-67

♀ 451-200-67

♀ 600-224-35 (Young) - Shot in

♀ 1195MM-810-45 (Young female)

♀ 1361-252-60

♂ 1560-255-58

♀

♀

♂

♀ 535-260-56 (2 mammary glands) Jan. 12, 1948

♀

♂ (Skull only)

♂ 285-151-27

♂ 587-289-62

(found in my tent with 2 young)

Jan 13, 1948

Jan 14, 1948

"

| | | | | | |
|-------|--------------------|----------------------|-------------------------------------|---|-----|
| (746) | Tree Rat (Young) | under bush in meadow | 13 mi E. Windhoek, Finkenstein Farm | | |
| (747) | Gerbil (white ear) | - in open ground | 15 mi E | " | " " |
| 748 | Gerbil (white ear) | " | " | " | " " |
| 749 | Tree Rat - | | 12 " | " | " " |
| 750 | Gerbil | | 13 mi E | " | " " |
| 751 | Gerbil (white ear) | - in open | 15 mi E | " | " " |
| 752 | Striped mouse | (under bush) | 13 mi E | " | " " |
| 753 | " | " " " | 13 mi E | " | " " |
| 754 | Mongoose | (along river) | 12 mi E | " | " " |
| 755 | Mongoose | (" ") | " | " | " " |
| 756 | Iguana | | " | " | " " |
| (757) | Frog | in Watertank, | 12 mi E. | " | " " |
| (758) | " | | " | | " |
| 759 | " | | " | | " |
| 760 | " | | " | | " |
| 761 | " | | " | | " |
| 762 | " | | " | | " |
| 763 | " | | " | | " |
| 764 | " | | " | | " |
| 765 | " | | " | | " |
| 766 | " | | " | | " |
| 768 | " | | " | | " |
| 769 | " | | " | | " |
| 770 | " | | " | | " |
| 771 | " | | " | | " |
| 772 | " | | " | | " |
| 773 | " | | " | | " |
| 774 | " | | " | | " |
| 775 | " | | " | | " |
| 776 | " | | " | | " |
| 778 | " | | " | | " |
| 779 | " | | " | | " |
| 780 | " | | " | | " |
| 781 | " | | " | | " |
| 782 | " | | " | | " |
| 783 | " | | " | | " |
| 784 | " | | " | | " |
| 785 | " | | " | | " |
| 786 | " | | " | | " |
| 787 | " | | " | | " |

Jan. 15, 1948

11

11

11

14

21

11

21

1 (

14

(young)

15

Jan. 19, 1948

20

11

"

44

4

4

11

11

11

16

44

4.

11

/

2

11

11

11

11

11

44

11

11

| | | | |
|-----|---------------|---------------------------------------|--|
| 788 | frog | 12 mi. E. Windhoek - | |
| 789 | " | " | |
| 790 | " | " | |
| 791 | " | " | |
| 792 | " | " | |
| 793 | " | " | |
| 794 | " | " | |
| 795 | " | " | |
| 796 | " | " | |
| 797 | " | " | |
| 798 | " | " | |
| 799 | " | " | |
| 800 | " | " | |
| 801 | " | " | |
| 802 | " | " | |
| 803 | " | " | |
| 804 | " | " | |
| 805 | " | " | |
| 806 | " | " | |
| 807 | frog | " | |
| 808 | Gerbil | Finkenstein farm - 15 mi. E. Windhoek | |
| 809 | " | " | |
| 810 | " | " (5 small embryos) | |
| 811 | Gerbil | 13 mi E Windhoek | |
| 812 | Striped Mouse | " | |
| 813 | " | " | |
| 814 | " | " | |
| 815 | " | " | |
| 816 | " | " | |
| 817 | Tree Rat | 12 mi | |
| 818 | Gerbil (?) | " | |
| 819 | " | " | |
| 820 | lizard | " | |
| 821 | Rock Mouse | " | |
| 822 | GERIKO | " | |
| 823 | " | " | |
| 824 | " | " | |
| 825 | " | " | |
| 826 | " | " | |
| 827 | " | " | |

828 Gekko Fink-Farm 12mi E. Windhoek

829 " " "

830 " " "

(831) Ratal - Ondokaremba farm 15mbs. North East. ^{observed}

832 Lizard, Finkenstein Farm, 12mi E Windhoek

833 Gekko " "

834 Lizard " "

835 Bat " "

836 Bat " "

837 Baboon (Skull only), Walker farm, 37mi. S.W. Windhoek

838 " (" ") " " " " "

839 " (" ") " " " " "

840 Mongoose (Skull only) Finkenstein, 12mi. E. "

841 Snake Keetmanshoop, S.W. Afr.

842 " " "

843 " " "

844 " " "

845 " " "

846 " " "

847 Dassie, ^{Roopiv} Van Ryn Farm, Plattenburg Bay, 3mi Town Plattenburg

848 " " " " " "

849 " " " " " "

850 " " " " " "

851 " " " " " "

852 Baboon (Skull only) " " " "

(853) Duiker (Skull only) Vrede farm, 27 W. Graaff Reinet

854 x Spring hare " " " "

855 x Hare " " " "

856 x Hare " " " "

(857) x Monkey (eyes Brown) " " " "

858 x Hare " " " "

859 x Spring hare " " " "

860 x Spring hare " " " "

861 mouse (? house mouse) " " " "

862 " " " "

863 Striped rat " " " "

864 Dassie " " " "

865 monkey " " " "

866 monkey " " " "

867 monkey " " " "

Jan. 22, 1948

"

"

♀ 640 - 169 - 94

Jan. 23, 1948

"

"

"

"

"

♂ 71 - 30 - 6 - 208

♂ 78 - 32 - 6 - 222

Jan. 24, 1948

"
"
"

Jan. 25, 1948

~~Feb.~~ Jan. 30, 1948

"

"

"

"

"

♀ 355 — 55 (shot in neck)

♂ 464 — 65 (shot in head)

♀ 323 — 56 (" " ")

♂ 338 — 54 (" thru ear)

♀ 460 — 64 (" " ")

(odd Skull)

(dead along creek bank)

Feb. 19, 1948

"

Feb. 21, 1948

"

"

"

Feb. 24, 1948

"

"

"

"

"

"

"

Feb. 26, 1948

"

"

"

Feb. 27, 1948

"

"

♂ 785 - 417 - 155 (shot along edge of field)

♂ 602 - 107 - 143 (shot in open field)

♂ 625 - 104 - 138 (" " " ")

♀ 873 - 459 - 118 (" " " ")

♂ 640 - 115 - 145 (" " Field)

♂ 785 - 400 - 155 (" " " ")

♀ 723 - 384 - 153 (" " " ") Young

♀ 183 - 93 - 19 (store room)

♂ 168 - 85 - 18 (")

♀ 245 - 122 - 24 (") 4 tits - 2 aft - 2 forward

♂ 515 495 — 70 (Caught by dogs)

♀ 510 - 291 - 82 (shot with 22)

♀ 892 - 461 - 130 " " "

♀ 938 - 520 - 131 " " "

| | | | | |
|-----|---|---|-----------|----------------|
| 868 | Baboon Skull | Vrede farm, 27 mi. W. Graaff Reinet | | |
| 869 | " " | " | " | " |
| 870 | " " | " | " | " |
| 871 | " " | " | " | " |
| 872 | " " | " | " | " |
| 873 | " " | " | " | " |
| 874 | " " | " | " | " |
| 875 | " " | " | " | " |
| 876 | " " | " | " | " |
| 877 | Dassie Skull | " | " | " |
| 878 | Porcupine Skull | " | " | " |
| 879 | ^{HERPESIIDAE} Mastelidae Skull (pole?) (cat?) | " | " | " |
| 880 | Porcupine | Vrede Farm (Biggs) 27 mi W. Graaff Reinet | | |
| 881 | Ruddy Mongoose (Skull only) | " | " | " |
| 882 | Porcupine | " Sol | " | " |
| 883 | ^{Cape} Ground Squirrel | " | " | " |
| 884 | Slender Mierkat | " | " | " |
| 885 | Mierkat | " | " | " |
| 886 | Baboon | " | " | " |
| 887 | Gerbil (?) | " | " | " |
| 888 | Gerbil (?) | " | " | " |
| 889 | Bat (Chatterbox) | " (Eptesicus) | " | " |
| 890 | House Mouse | " | " | " |
| 891 | Striped " (5 embryos) | " | " | " |
| 892 | Dassie | " | " | " (with young) |
| 893 | Monkey (to well developed) | " | " | " (monkey) |
| 894 | Mierkat (mammary glands) | " | " | " |
| 895 | leopard (young) in kraal | " | " | " |
| 896 | Snake | " | " | " |
| 897 | Snake (horned Viper) | Keetmanshoop | S.W. Afr. | |
| 898 | " (" ") | " | " | |
| 899 | " | Oshi Kango, Ooramboland | " | |
| 900 | Striped Mouse | Vrede farm, 27 mi W. Graaff Reinet | | |
| 901 | Dassie | " | " | " |
| 902 | " | " | " | " |
| 903 | " | " | " | " |
| 904 | " | " | " | " |
| 905 | " | " | " | " |
| 906 | " | " | " | " |
| 907 | Gerbil (Desmodillus aurigularis) | " | " | " |

Skull only - (Caught in balloon trap)

Feb. 27, 1948

" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "
" " "

♂ 803-87-105 (wt. 30 lbs) (by corn field) trapped

Feb. 28, 1948

♂ Skull only - damaged by car

♀ 722-67-100 (hit in head by car)

♀ 474-198-74 (Caught in trap)

♂ 530-288-75

♂ 502-197-74

" " "

♂? (Skull only)

♀ 176-81-25

♀ 136-43-26

(tail broken off)

♀ 88-33-7-258 (Caught in loft)

♂ 776-84-17

Caught in trap (Skull only)

♂ 173-85-18 196-95-23 (into its nose)

♂ 518 — 72

Caught by dogs

♀ 963-514-130

(shot in trap)

♀ 456-160-68

(trapped) (tail broken off)

March 1, 1948
Feb. 29, 1948

March 2, 1948

March 2, 1948

Jan. 30, 1948

Nov. 1, 1947

March 2, 1948

♂ 229-118-24

♂ 357 — 50 (Caught by dogs)

♀ 352 — 55


♀ 520 — 68

♀ 478 — 65

♀ 511 — 67

♀ 448 — 68

♀ 200-81-22 (4 toes left - 2 forward)



| | | | | |
|-------|---|---------------------------------|------------|-----------------|
| 908 | Gerbil (young in Alcohol) (Pouched mouse) | | | |
| (909) | Bat, Cave, Gladysvale Farm, 20 mi NNE. Krugersdorp, Transvaal | | | |
| 910 | " | " | " | " |
| 911 | " (Rhinoptophus geoffroyi Zuluensis) | " | " | " |
| 912 | " | " | " | " |
| 913 | " | " | " | " |
| 914 | " | " | " | " |
| 915 | " | " | " | " |
| 916 | " | " | " | " |
| 917 | " | " | " | " |
| 918 | " | " | " | " |
| 919 | " | " | " | " |
| 920 | " | " | " | " |
| 921 | " | " | " | " |
| 922 | " | " | " | " |
| 923 | " | " | " | " |
| 924 | " | " | " | " |
| (925) | Mouse (Aethomys) " (along base of a cliff) | " | " | " |
| 926 | large grey Mongoose, " ^{water} | " | " | Shot along road |
| 927 | Bat, Cave Gladysvale Farm 20 mi. NNE. Krugersdorp | | | |
| 928 | " | " | " | " |
| 929 | " | " | " | " |
| 930 | " | " | " | " |
| 931 | " | " | " | " |
| 932 | " | " | " | " |
| 933 | " | " | " | " |
| 934 | " | " | " | " |
| 935 | " | " | " | " |
| 936 | Mouse Owl Pellets | " | 22 mi. NNE | " |
| 937 | Mouse | " | 20 mi NNE | " |
| 938 | " | " | " | " |
| 939 | Mole rat | " | 18 " | " |
| (940) | Mouse (Steatomys) | " | " | " |
| (941) | single Striped mouse | " (Lemiscornys grisilda Spinah) | 20 | " |
| 942 | Rock mouse | " | 21 | " |
| 943 | Single striped mouse | " | 20 | " |
| (944) | Gerbil (Tatra lobengulae mitthetti) | " | 18 | " |
| (945) | Gerbil (4 tits aff) | " | 20 | " |
| 946 | Mole rat | " | 18 | " |
| 947 | Mole rat | " | 18 | " |

(Caught in corn field)

March 2, 1948

| | | | |
|---|--------------------|-------------------------|----------------|
| ♀ | 88-33-12-324 | ✓ no embryos | March 14, 1948 |
| ♀ | 90-34-12-335 | ✓ | " |
| ♀ | 96-38-12-352 | (Excessive Fat on Back) | " |
| ♀ | 92-33-12-340 | | " |
| ♀ | 89-34-13-337 | " " " | " |
| ♂ | 88-36-13-341 | | " |
| ♀ | 92-33-13-356 | " " " | " |
| ♀ | 91-35-12-350 | " " " | " |
| ♀ | 89-33-12-330 | " " " | " |
| ♀ | 88-32-12-336 | | " |
| ♀ | 88-31-12-331 | | " |
| ♂ | 86-30-12-332 | | " |
| ♀ | Alcoholic specimen | | " |
| ♀ | " | " | " |
| ♂ | " | " | " |
| ♀ | " | " | " |

| | | |
|---|--------------------|--|
| ♀ | 175-91-23 | March 15, 1948 |
| ♂ | 916-344-117 | " " " |
| ♂ | 94-36-12-341 | (Shot from ceiling of cave) March 16, 1948 |
| ♀ | 94-35-12-352 | (Excessive fat on) |
| ♂ | 86-31-12-337 | " (backs) |
| ♂ | 90-37-13-323 | " " |
| ♂ | 83-33-13-322 | " " |
| ♀ | 84-32-12-343 | " " |
| ♂ | 85-33-12-330 | " " |
| ♀ | alcoholic specimen | " |
| ♂ | " | " |

| | | |
|---|---------------|--|
| ♂ | from Cave | March 22, 1948 |
| ♂ | 223-125-25 | In rocky open country |
| ♂ | 248-146-26 | near old adobe building |
| ♂ | 135-15-26 | (open field no stones) |
| ♀ | 149-52-16 | (12 tails from hind legs to neck) March 25, 1948 |
| ♂ | 206-101-23 | (in high reeds and grass near river) |
| ♂ | 237-140-26 | (In stony outcropping) |
| ♂ | 206-106-28 | (high reeds and grass) |
| ♂ | 268-150-34 | (in open grassy field by mole hills) |
| ♀ | 123 notail 29 | (high reeds and grass) |
| ♀ | 140-20-24 | (open high grassy ground) |
| ♀ | 131-16-24 | " " " |

| | | | | | | | | |
|-----|----------------------|-------------------|---|---|---|---|---|---|
| 953 | Mole rat | Gerbil | - 20 miles NNE Krugersdorp, Transvaal Gladysvale Farm | | | | | |
| 957 | Gerbil (young) | | " " " | " | " | " | " | " |
| 950 | Bat | Cave | | " | " | " | " | " |
| 951 | Bat | " | (Miniopterus "natalensis") | " | " | " | " | " |
| 952 | Mole rat | | 18 mi | " | " | " | " | " |
| 953 | Mole rat | (Cryptomys) | " | " | " | " | " | " |
| 954 | Baboon | Skull | 22 mi | " | " | " | " | " |
| 955 | Dwarf mouse | | 20 mi | " | " | " | " | " |
| 956 | Gerbil | (Aethomys) | 20 mi | " | " | " | " | " |
| 957 | Mole rat | | 21 mi | " | " | " | " | " |
| 958 | Mole rat | | 21 mi | " | " | " | " | " |
| 959 | Skink | | 20 mi | " | " | " | " | " |
| 960 | Single striped mouse | | " | " | " | " | " | " |
| 961 | Baboon | (Skull only) | from Klein Windhoek, S.W. Africa | | | | | |
| 962 | Wildbeest | (Skull) | Pretorius Kop, Kruger Park | | | | | |
| 963 | Gerbil | (Aethomys) | 20 mi NNE Krugersdorp, Gladysvale | | | | | |
| 964 | Shrew | (Cracidura) | " | " | " | " | " | " |
| 965 | Rock Mouse | | " | " | " | " | " | " |
| 966 | Gerbil | (Aethomys) | " | " | " | " | " | " |
| 967 | Genko | | 22 | " | " | " | " | " |
| 968 | Baboon | | " | " | " | " | " | " |
| 969 | Baboon | | " | " | " | " | " | " |
| 970 | Otomys | (3 small embryos) | 20 | " | " | " | " | " |
| 971 | Snake | (green) | " | " | " | " | " | " |
| 972 | Snake | (green) | " | " | " | " | " | " |
| 973 | Snake | (green) | " | " | " | " | " | " |
| 974 | Shrew | | " | " | " | " | " | " |
| 975 | Tree Mouse | | " | " | " | " | " | " |
| 976 | Rock Mouse | | " | " | " | " | " | " |
| 977 | Rock Mouse | | " | " | " | " | " | " |
| 978 | Rock Mouse | | " | " | " | " | " | " |
| 979 | Giant Shrew | | " | " | " | " | " | " |
| 980 | Lizard | | Bolt Farm 10 m NNE. | " | " | " | " | " |
| 981 | Hare | | | " | " | " | " | " |
| 982 | Hare | | | " | " | " | " | " |
| 983 | Mouse | | 17 mi | " | " | " | " | " |
| 984 | Puff Adder | | " | " | " | " | " | " |
| 985 | Otomys | | " | " | " | " | " | " |
| 986 | mouse | | " | " | " | " | " | " |
| 987 | " | | " | " | " | " | " | " |
| 988 | " | | " | " | " | " | " | " |

♂ 272-159-28 (caught in high weeds and grass) April 27, 1948
 ♂ 160-83-24 (" " ") " "
 ♀ 109-54-10-320 (charging sitting fence) " "
 ♀ 115-54-10-325 " " " " " "
 ♀ 130-19-24 " "
 ♂ 144-20-28 "

Found in Cave April 1, 1948

♂ 91-47-13 (damaged in trap) (Alcoholic spec) April 2, 1948
 ♂ 213-120-28 (bones pink colored) "
 ♂ 132-18-27 (from black dirt along creek) "
 ♂ 150-20-27 " "
 (in Alcohol) "
 (Alcoholic) (too damaged for skin) "
 " "
 "

♀ 277-156-28 (caught along small stream) April 3, 1948
 ♂ 103-48-13 April 4, 1948

♂ 232-131-26 "
 ♂ 278-160-28 "

skull only at entrance of cave under stone "
 " " In cave "

♂ 243-71-27 trapped along stream, grassy area "
 run over by car April 15, 1948
 received in material " "
 " " "

♀ 106-50-11 Caught in trap (in Alcohol) April 16, 1948

♀ 242-134-21 shot in tree at night "

♀ 236-132-27 Caught in trap in rocks (one ear missing due to ants) "

♂ Alcoholic April 7, 1948
 ♀ "
 ♂ "

Bot April 11, 1948

♂ 485-82-114 "
 ♀ 510-92-119 "

♂ 174-88-23 Caught on high wall on Alcohol April 13, 1948

♂ 225-77-24 in high field "

♂ 119-45-17 "

♀ 212-97-24 "

| | | | | |
|------|---------------------|-----------|--|-----|
| 999 | mouse | 17 mi NNE | Hugersdorp, Gladysvale farm, Transvaal | |
| 1000 | " | " | " | " |
| 1001 | " | " | " | " |
| 1002 | " | " | " | " |
| 1003 | Snake | " | " | " |
| 1004 | Striped Mouse | " | " | " |
| 1005 | Otomys | " | " | " |
| 1006 | Mouse | " | " | " |
| 1007 | Mouse | " | " | " |
| 1008 | Mouse | " | " | " |
| 1009 | Rock Mouse | 18 mi | " | " |
| 1000 | Grout Rock Shrew | " | " | " |
| 1001 | Yellow Cobra | 18 " | " | " |
| 1002 | Snake | 5 mi S. | Leysdorp, Transvaal | |
| 1003 | Skink | " | " | " |
| 1004 | Gerbil | " | " | ♂ |
| 1005 | " | " | " | ♂ |
| 1006 | " | " | " | ♂ |
| 1007 | " | " | " | ♂ |
| 1008 | " | " | " | ♂ |
| 1009 | monkey (skull only) | " | " | — |
| 1010 | Gerbil | " | " | ♂ |
| 1011 | " | " | " | ♀ |
| 1012 | " | " | " | ♂ |
| 1013 | " | " | " | ♂ |
| 1014 | " | " | " | ♂ + |
| 1015 | " | " | " | ♂ + |
| 1016 | " | " | " | ♂ + |
| 1017 | " | " | " | ♂ |
| 1018 | Otomys | " | " | ♂ |
| 1019 | mouse | " | " | ♂ |
| 1020 | " | " | " | ♀ |
| 1021 | " | " | " | ♀ |
| 1022 | " | " | " | ♂ |
| 1023 | " | " | " | ♂ + |
| 1024 | " | " | " | ♂ + |
| 1025 | Mongoose | " | " | ♂ |
| 1026 | Lemure | " | " | ♂ |
| 1027 | Lemure | " | " | ♂ |
| 1028 | " | " | " | " |

| | | |
|------------------------|---|----------------|
| ♂ 159-88-21 | in high field (in sour grass) | April 13, 1948 |
| ♂ 167-87-23 | " | " |
| ♂ 170-90-22 | " | " |
| ♀ 135-70-20 | " | " |
| in alcohol | In river bed | April 14, 1948 |
| ♂ 180-88-21 | in high field | " |
| ♀ 240-90-27 | (4 tits aft) " | " |
| ♂ 162-91-23 | " | " |
| ♂ 149-70-22 | " | " |
| ♀ 154-79-21 | " | " |
| ♀ 260-249-139-27 | In rocky cliff (4 tits aft) | April 15, 1948 |
| ♂ 260-136-38 | " (Penis mid ventral) | " |
| 6' 1" long | (had chicken egg in stomach) | April 16, 1948 |
| | (skin damaged in trap) | May 1, 1948 |
| | Shot with dust gun | " |
| 272-148-34 | From trap, veld | May 2, 1948 |
| 151- 74 -20 | " " | " |
| 260-142-33 | " " | " |
| 279-153-32 | " " | " |
| 261-144-33 | " " | " |
| | along river bank | " |
| 285-153-32 | | May 3, 1948 |
| 274-142-30 | 4 mammae aft (4 embryos in alcohol) | " |
| 228-126-33 | | " |
| 231-120-32 | | " |
| 274-155-34 | 4 mammae aft 2 forward | " |
| 286-162-32 | 4 embryos in alcohol | " |
| 233-127-32 | | " |
| 279-152-34 | | " |
| 170-92-27 | (damaged by ants and trap) | " |
| 133-71-21 | Alcoholic specimen | " |
| 286-162-32 | alcoholic specimen (young) | " |
| 189-93-23 | | " |
| 199-98-22 | | " |
| 201-108-25 | | " |
| 174-84-20 | | " |
| 223-105-24 | (alcoholic) | " |
| 534-233-57 | (ears damaged by ants) (caught in rat trap on mesh) | " |
| 378-224-58 | (In trees along river (used hunting lamp at night) | May 4, 1948 |
| 692-361-90 | " | " |
| 697-310-95 | " | " |

| | | | |
|--------|-------------------------|-------------------|-----------------------|
| 1029 | Lemur | 5 mi S. Jeydsdorp | Transvaal |
| 1030 | Gerbil | " | " |
| 1031 | mouse | " | " |
| 1032 | " | " | " |
| 1033 | " | " | " |
| 1034 | " | " | " |
| 1035 | Lemur (Skull only) | " | " |
| 1036 | mouse | " | " |
| 1037 | hare | " | " |
| ✓ 1038 | tizard Skink | " | " |
| ✓ 1039 | Toad | " | " |
| 1040 | hare | " | " |
| ✓ 1041 | Skink lizard | Letaba Ranch | 37 mi N. Grootfontein |
| ✓ 1042 | Skink | " | " |
| ✓ 1043 | lizard | " | " |
| 1044 | Mouse | " | " |
| 1045 | Mouse | " | " |
| ✓ 1046 | Skink | " | " |
| ✓ 1047 | Skink | " | " |
| ✓ 1048 | " | " | " |
| ✓ 1049 | " | " | " |
| ✓ 1050 | " | " | " |
| ✓ 1051 | " | " | " |
| ✓ 1052 | " | " | " |
| ✓ 1053 | " | " | " |
| ✓ 1054 | " | " | " |
| ✓ 1055 | " | " | " |
| ✓ 1056 | " | " | " |
| 1057 | Mouse | " | " |
| 1058 | " | " | " |
| 1059 | Gerbil | " | " |
| 1060 | " | " | " |
| 1061 | " | " | " |
| 1062 | " | " | " |
| 1063 | " | " | " |
| 1064 | Snake | " | " |
| ① 1065 | Cheetah (Skull only) | Matthae Ranch | 22 mi. E. Mies |
| ① 1066 | Zebra (" ") | " | " |
| ① 1067 | Waterbuck (" ") | " | " |
| ① 1068 | Lion | " | " |
| ① 1069 | Lion | " | " |

May 4, 1918

11

11

11

11

13

Alcoholic

19

1975

May 6, 1958

10

Skull only

44

May 7, 1948

11

“

(6 small embryos in alcohol)

May 8, 1948

(5 medium embryos in alcohol)

11

21

11

"

11

22

2

14

1.

41

May 20

(Cancerous growths arising from)

in Cornfield

" (6 small embryos)

Arrived by trap - 10.00 - 11.00 p.m.

Living -

10

Shyama

22

| | | | |
|------|--------|-------------|---------------------------|
| 1070 | gerbil | Mtata Ranch | 22mi E. Mico N. Transvaal |
| 1071 | " | " | " |
| 1072 | " | " | " |
| 1073 | " | " | " |
| 1074 | " | " | " |
| 1075 | " | " | " |
| 1076 | " | " | " |
| 1077 | " | " | " |
| 1078 | " | " | " |
| 1079 | " | " | " |
| 1080 | " | " | " |
| 1081 | " | " | " |

| | | | |
|------|------------------------------|--------------|------------------------|
| 1082 | Kudu (Skull) | Letaba Ranch | 37mi N. Gravelotte |
| 1083 | mouse (gerbil) Pouched mouse | along beach | 2mi N. Lorenzo Marques |
| 1084 | mouse (gerbil) Pouched mouse | " | " |

| | | | |
|------|------------|-----------------|---|
| 1085 | Fruit Bat | in trees | " |
| 1086 | " | " | " |
| 1087 | " | " | " |
| 1088 | " | " | " |
| 1089 | " | " | " |
| 1090 | " | " | " |
| 1091 | " | " | " |
| 1092 | Puff Adder | in road 70mi W. | " |
| 1093 | " | 65mi W. | " |
| 1094 | " | 30mi W. | " |
| 1095 | " | 15mi W. | " |

| | | | |
|------|-----------|-------------|------------------------|
| 1096 | Wildbeast | Kruger Park | Pretorius Kop |
| 1097 | " | " | " |
| 1098 | " | " | " |
| 1099 | Zebra | " | " |
| 1100 | " | " | " |
| 1101 | Baboon | " | " |
| 1102 | " | " | " |
| 1103 | Cheetah | " | SKUKA SKUKA
SKUKAZA |
| 1104 | lion | " | " |
| 1105 | " | " | " |
| 1106 | " | " | " |
| 1107 | " | " | " |
| 1108 | " | " | " |
| 1109 | Baboon | " | " |
| 1110 | leopard | " | " |

border

44-10187

18
19
20
21
22
23
24
25
26
27
28
29
30

May 12, 1948

May 12, 1941

young attached to female 2

about

Skull pickups

May 19, 1944

May 20, 1948

| | | | |
|------|----------------|--------------------------------|-----------|
| 1111 | tepard lion | Kruger Park | ZKukuxo |
| 1112 | lion | " | " |
| 1113 | lion | " | " |
| 1114 | lion | " | " |
| 1115 | Hippo | " | " |
| 1116 | " | " | " |
| 1117 | Impala | " | " |
| 1118 | Zebra | " | " |
| 1119 | " | " | " |
| 1120 | " | " | " |
| 1121 | lion | " | " |
| 1122 | Impala | " | " |
| 1123 | Bush Back | " | " |
| 1124 | Kudu | " | " |
| 1125 | Sable Antelope | " | " |
| 1126 | Buffalo | " | " |
| 1127 | " | " | " |
| 1128 | night adder | Bolt Farm, Tona N. Krugersdorp | Transvaal |
| 1129 | striped Mouse | Bosman Farm, Bomi S. Kuruman, | Cape |
| 1130 | " | " | " |
| 1131 | Mouse | " | " |
| 1132 | " | " | " |
| 1133 | " | " | " |
| 1134 | Gerbil | " | " |
| 1135 | Striped Mouse | " | " |
| 1136 | " | " | " |
| 1137 | " | " | " |
| 1138 | " | " | " |
| 1139 | " | " | " |
| 1140 | " | " | " |
| 1141 | " | " | " |
| 1142 | " | " | " |
| 1143 | Spring Hare | " | " |
| 1144 | " | " | " |
| 1145 | " | " | " |
| 1146 | Dwarf Mouse | " | " |
| 1147 | Gerbil | " | " |
| 1148 | striped Mouse | " | " |
| 1149 | " | " | " |
| 1150 | " | " | " |
| 1151 | " | " | " |

| | | | |
|----------|---|---|---|
| 1152 | Striped mouse, Doseman farm, 30 mi. v. Kuvaman, Cape, | | |
| 1153 | " " | " | " |
| 1154 | " " | " | " |
| 1155 | " " | " | " |
| (1156 | " " | " | " |
| - 1157 - | Rock Mouse | " | " |
| - 1158 - | " | " | " |
| - 1159 - | " | " | " |
| 1160 | " | " | " |
| 1161 | " | " | " |
| 1162 | " | " | " |
| 1163 | " | " | " |
| 1164 | " | " | " |
| 1165 | " | " | " |
| 1166 | Skink | " | " |
| 1167 | " | " | " |
| 1168 | Mouse | " | " |
| 1169 | " | " | " |
| 1170 | " | " | " |
| - 1171 - | Rock Mouse | " | " |
| - 1172 - | " | " | " |
| 1173 | " | " | " |
| 1174 | " | " | " |
| 1175 | Owl Pellets | " | " |
| 1176 | Rock Mouse | " | " |
| 1177 | " | " | " |
| 1178 | " | " | " |
| 1179 | Pouched Mouse | " | " |
| 1180 | Spring hare | " | " |
| 1181 | Pouched Mouse | " | " |
| 1182 | " | " | " |
| 1183 | Striped Mouse | " | " |
| 1184 | " | " | " |
| 1185 | " | " | " |
| 1186 | " | " | " |
| 1187 | " | " | " |
| 1188 | lizard | " | " |
| 1189 | " | " | " |
| - 1190 - | Rabbit-Mongoose | " | " |
| 1191 | Hare (Cape Hare) | " | " |
| 1192 | Spring Hare | " | " |

note: T.B. ... supplied to ... as being ...

May 30
"
"
"
"

♀ 267-167-25
♀ 256-150-25
♂ 259-155-25
In Alcohol

JUNE 1

"
"
"
"
"

"
"
"
"
"

in formalin

"
"

mummified (in Wunderwerk cave)

"
"
"

♀ 210-125-23
♂ 232-139-24

} Dates ...

from Wunderwerk Cave

JUNE

In Alcohol

"
"
"

" (owl dropped in cave)
mouth full of seeds

♂ 730-318-155

"

♂ Skull
♀ Skull

"
"

in Alcohol

"

"
"
"

"
"
"

in formalin

"

♂ 585-287-59

(Caught in trap) along base of cliff

498-96-124

♂ Skull
only

| | | | |
|------|--|-----------|----------------------|
| | Spring Hare, Boseman Farm, 30 mi. S. Kuruman, Cape Prov. | | |
| 1194 | Rock mouse | " | " |
| 1195 | Ruddy Mongoose | " | " |
| 1196 | Owl Pellets | " | " |
| 1197 | Rock mouse | " | " |
| 1198 | Mole rat | Bolt Farm | 7 mi NW. Krugersdorp |
| 1199 | " | " | " |
| 1200 | " | " | " |
| 1201 | " | " | " |
| 1202 | Striped mouse | " | " |
| 1203 | Mouse | " | " |
| 1204 | " | " | " |
| 1205 | " | " | " |
| 1206 | " | " | " |
| 1207 | " | " | " |
| 1208 | " | " | " |
| 1209 | " | " | " |
| 1210 | " | " | " |
| 1211 | " | " | " |
| 1212 | " | " | " |
| 1213 | Striped mouse | " | " |
| 1214 | " | " | " |
| 1215 | " | " | " |
| 1216 | " | " | " |
| 1217 | " | " | " |
| 1218 | Mouse | " | " |
| 1219 | " | " | " |
| 1220 | " | " | " |
| 1221 | " | " | " |
| 1222 | " | " | " |
| 1223 | " | " | " |
| 1224 | " | " | " |
| 1225 | " | " | " |
| 1226 | " | " | " |
| 1227 | " | " | " |
| 1228 | " | " | " |
| 1229 | " | " | " |
| 1230 | Striped mouse | " | " |
| 1231 | " | " | " |
| 1232 | " | " | " |
| 1233 | " | " | " |

only ♀
23A-1A0-25
♀ 526-265-56
In Wunderwerk Case
♂ in alcohol

June
June 4
"
"
"

♀ 155-19-26

June 13, 194

♀ 136-~~28~~¹⁹-25

"

♂ 135-17-24

"

♀ 123-19-24

"

in Alcohol

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

♂ 193-87-24

grassy land (meadow)

June 15, 194

Alcoholic specimen

"

"

"

"

"

"

"

♀ 171-95-22

no embryo

"

♂ 191-92-24

(Cannibalistic - Dead eaten in traps possibly
by striped mouse or this one
excessive fat)

"

♀ 195-106-22

"

♂ 171-88-24

"

♂ 174-91-24

"

"

♂ 176-77-23

"

"

♀ 172-96-23

"

"

♂ 176-98-23

"

"

Alcoholic specimen

"

"

"

"

"

"

"

♀ 200-115-22

- 6 embryos in alcohol

June 15, 194

♂ 197-95-22

Alcoholic specimen

♂ 157-71-21 Skin damaged (skull only)

| | | | | |
|--------|-------------|--|------------|---|
| ✓ 1130 | MOUSE | Bolt farm, 7 mi. N.W. Hoogersdorp, Transvaal | | |
| ✓ 1236 | " | " | " | " |
| ✓ 1237 | " | " | " | " |
| ✓ 1238 | " | " | " | " |
| ✓ 1239 | " | " | " | " |
| ✓ 1240 | " | " | " | " |
| ✓ 1241 | " | " | " | " |
| ✓ 1242 | " | " | " | " |
| ✓ 1243 | " | " | " | " |
| ✓ 1244 | Wild Dog | Namitomi, Etosha Pan, S.W. Africa | | |
| ✓ 1245 | Aard Wolf | Johannes Kraal, 24 mi. E. Pretoria | | |
| ✓ 1246 | Snake; | Bolt farm, 7 mi. N.W. Krugersdorp, Trans | | |
| ✓ 1247 | Gerbil | Van Pittius farm, 6 1/2 mi N.W. | " | |
| ✓ 1248 | " | " | " | " |
| ✓ 1249 | Mole rat | " | " | " |
| ✓ 1250 | Gerbil | " | " | " |
| ✓ 1251 | " | " | " | " |
| ✓ 1252 | " | " | " | " |
| ✓ 1253 | Common Rat | " | " | " |
| ✓ 1254 | Shrew | Bolt Farm | 7 mi. N.W. | " |
| ✓ 1255 | " | " | " | " |
| ✓ 1256 | Rock Mouse | " | " | " |
| ✓ 1257 | " | " | " | " |
| ✓ 1258 | " | " | " | " |
| ✓ 1259 | Shrew | Var " | " | " |
| ✓ 1260 | Rock Mouse | " | " | " |
| ✓ 1261 | " | " | " | " |
| ✓ 1262 | " | " | " | " |
| ✓ 1263 | " | " | " | " |
| ✓ 1264 | " | " | " | " |
| ✓ 1265 | Dwarf Mouse | " | " | " |
| ✓ 1266 | Gerbil | Van Pittius | 6 1/2 | " |
| ✓ 1267 | mole Rat | Ammanee forward | " | " |
| ✓ 1268 | Wilbebeest | Pretorius Kop, Kruger Park | | |
| ✓ 1269 | Mole rat | Van Pittius Farm | 6 1/2 mi | " |
| ✓ 1270 | Gerbil | " | " | " |
| ✓ 1271 | " | " | " | " |
| ✓ 1272 | Fat Mouse | " | " | " |
| ✓ 1273 | " | " | " | " |
| ✓ 1274 | " | " | " | " |

all men

♀ 137-69-20
Alcoholic specimen

"
"
"

♂ 171-97-22

♀ 179-97-22
alcoholic specimen
"

Skull only
Skeleton

Shot,

Nov. 21, 1947

June 12, 1948

June 16, 1948

June 17, 1948

♂ 287-160-40 1 pr. mammae forward, 2 pr. aft.
Alcoholic - damaged in trap

♀ 131-15-27

♂ 267-142-35 (bitch dirt all over traps, have
♀ 212-120-35 extensive burrows)

♂ 240-109-40

♀ 346-221-35

in shed
penis mid-ventral
(In rocky hills by caves)

♂ 266-140-38

♀ 200-95-37

(part of tail missing)

♀ 250-143-27

In rocky limestone cave area.

♀ 233-130-26

♂ 196-109-25

♂ 272-137-38 (penis mid-ventral)

♀ 270-152-27

♀ 220-129-25 (Skull only)

♂ 254-149-25
in alcohol

♀ 90-43-13 (white below, brown above)

♂ 219-118-31

in field

♀ 161-22-27

in alcohol
(3 half developed embryos)

Skull only

♂ 164-21-28

♀ 292-162-35 (2 pr. mammae aft forward)

♀ 225-116-34

♂ 164-80-21 in meadow

♂ 169-79-22

♂ 226-111-36

by drainage band

May 19, 1948

July 3, 1948

"

"

"

"

"

July 1948

31
♀
Cercopithecidae 232 ♂

112
0
14

WT

⊗ 58 Cape Ground Squirrel - SCIURIDAE (Geosciurus Capensis)

- 20 Dassie - f. PROCAVIIDAE (*Procapra Capensis*) ⊗
 21 Spring Hare - PEDETIDAE - (*Pedetes cafer*) ⊗
 22 Cape Hare - LEPORIDAE (*Lepus capensis*) ⊗
 23 Red Rock Hare - " (*Pronolagus crassicaudatus*) X
 24 South African Porcupine - HYSTRICIDAE (*Hystrix africae-australis*) ⊗
 25 Dassie Rat - OCTODONTIDAE - (*Petromys typicus*)
 26 Mole Rat - BATHYERGIDAE - (*Georchus capensis*)
 27 Striped Rat - MURIDAE (*Rhabdomys pumilio*) sub fam - MURINAE X
 28 Baboon - CERCOPITHECIDAE - (*Papio Comatus*) ⊗
 29 Black-Eared Elephant shrew - MACROSCELIDAE - (*Macroscelides proboscideus*)
 30 Rock Elephant Shrew - " (*Elephantulus rufestris*)
 31 Pale Elephant Shrew - " (*Elephantulus intufi*)
 32 Golden mole - CHRYSOCHLORIDAE - (*Amblysomus hottentotus*) ⊗
 33 Bad Wolf - PROTELIDAE - (*Proteles cristatus*)
 34 Spotted Hyena - HYAENIDAE - (*Crocuta crocuta*) X
 35 Black-Backed Jackal - CANIDAE - (*Canis mesomelas*) X
 36 Delalande's Fox - " (*Cet Otocyon megalotis*) X
 37 Cape Hunting Dog - " (*Lycan pictus*) X
 38 Ratel - MUSTELIDAE (*Mellivora capensis*) ⊗
 39 Striped Polecat - " (*Ictonyx striatus*) X
 40 Slender tailed Mierkat - HERPESTIDAE - (*Suricata suricatta*)
 41 African Civet - VIVERRIDAE - (*Civettictis civetta*)
 42 Small-spotted Genet - " (*Genetta felina*)
 43 Slender Mongoose - HERPESTIDAE - (*Myonax caui*)
 44 Ruddy Mongoose - " (*Myonax ratlamuchi*)
 ? Mongoose -
 45 Cape Jumping shrew - MACROSCELIDAE (*Macroscelides proboscideus*)
 46 Vlei Otomys - MURIDAE (sub-fam - OTOMYINAE) (*Otomys irroratus*) X
 47 Bush Otomys - " " (*Myotomys*)
 48 Yellow Bat - VESPERTILIONIDAE - (*Scotophilus nigrita*)
 49 wart hog -
 50 Spring buck -
 51 Hartibeest -
 52 Duiker -
 53 Blesmole -
 54 Fruit Bat -
 55 Gerbil -
 56 Damara Ground Squirrel - SCURIDAE (*Geosciurus princeps*) X
 57 Tree Rat -
 58 Manx Rock mouse -
 59 Monkey -
 60 Short-nosed Elephant shrew

